



Safety Data Sheet (NO RUST 7)

1 – PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:NO RUST 7
**CHEMICAL NAME/
CLASS/SYNONYMS:**Rust Converter / Primer
PRODUCT NUMBER:.....NO RUST 7
UN/NA NUMBER:.....3066
CHEMICAL FAMILY:Paint related material
CAS NUMBER:.....Not applicable for mixtures.
FORMULA:Mixture

COMPANY:**JMN Specialties, Inc.**
1100 Victory Drive – Westwego, Louisiana USA 70094
Phone (504) 341-3749, Fax (504) 341-5868
www.jmnspecialties.com

EMERGENCY PHONE:CALL CHEMTEL: Toll Free US & Canada: (800) 255-3924, Outside
USA +01-813-248-0585.

DATE PREPARED:January 18, 2021

2 – HAZARDS IDENTIFICATION

GHS HAZARD CLASSIFICATION:

Physical Hazards

Flammable Liquids:.....No Hazard Statement established for this Product

Corrosive Liquids:No Hazard Statement established for this Product

Health Hazards

Acute Toxicity (Oral):Category 4 - Harmful if swallowed, in contact with skin, inhaled

Skin Corrosion/Irritation:Category 2 - Causes skin irritation

Eye Damage/Irritation:Category 2A - Causes eye irritation

Aspiration Hazard:Category 2 - May be harmful if swallowed and enters airways.

Carcinogen:No Hazard Statement established for this Product

See Section 11 for additional Toxicological information

EMERGENCY OVERVIEW:

Pictograms:



Signal Word (GHS-US):**DANGER!**



Safety Data Sheet (NO RUST 7)

Hazard Statements:

Physical Hazards (GHS-US):

No Hazard Statement established for this Product

Health Hazards (GHS-US):

H302 H312 H332: Harmful if swallowed, in contact with skin or if inhaled. H319: Causes serious eye irritation.

Environmental Hazards (GHS-US):

H402: Harmful to aquatic life

Precautionary Statements (GHS-US):

P101+102+103: If medical advice is needed, have product container or label at hand. Keep out of the reach of children. Read label before use.

P202+233+270+280+281: Do not handle until all safety precautions have been read and understood. Keep container tightly closed. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required. P264: Wash thoroughly after handling.

P234: Keep only in original container

P403+P404: Store in a well ventilated place. Store in a closed container.

Response Statements (GHS-US):

P301+P310+P330+P331: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P337+313: If eye irritation persists get medical advice/attention. P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P304+312: IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell. P302+352: IF ON SKIN: Wash with soap and water.

P501: Dispose of contents/container: Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations, and product characteristics at time of disposal.

TOTAL VOC's:.....< 2%

3 – COMPOSITION / INFORMATION ON INGREDIENTS

| HAZARDOUS INGREDIENT | PERCENT* | CAS NUMBER |
|----------------------|----------|--------------|
| Tannic Acid | < 1 | 1401-55-4 |
| Barium sulfate | 10 - 20 | 7727-43-7 |
| Polymer Emulsion | 60 - 90 | Confidential |

*Any concentration shown as a range is to protect confidentiality or is due to batch variation.



Safety Data Sheet (NO RUST 7)

4 – FIRST-AID MEASURES

- BREATHING (INHALATION):**..... Remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial resuscitation. Keep person warm and at rest. Treat symptomatically and supportively. Seek medical attention immediately. Qualified medical personnel should consider administering oxygen.
- SWALLOWING (INGESTION):**..... **Immediately call for a poison control center or doctor.** Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
- EYES:**If liquid solutions containing acids get into the eyes, flush eyes immediately with a directed stream of water for at least 30 minutes while forcibly holding eyelids apart to ensure complete irrigation of all eye and lid tissue. **GET MEDICAL ATTENTION IMMEDIATELY.** Contact lenses should not be worn when working with this chemical.
- SKIN (DERMAL):**Remove contaminated clothing and wash affected skin with soap and water. If persistent irritation occurs, obtain medical attention. When using high pressure equipment, injection of product under the skin can occur. If high pressure injuries occur, the casualty should be sent immediately to a hospital. Do not wait for symptoms to develop.
- NOTE TO PHYSICIAN:**Acid is reported to cause pulmonary function impairment. Periodic surveillance is indicated. This acid mixture may cause acute lung damage. Surveillance of the lungs is indicated. Ingestion may cause gastroesophageal perforation. Perforation may occur within 72 hours, but along with abscess formation, can occur weeks later. Long term complications may include esophageal, gastric or pyloric strictures or stenosis. All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.



Safety Data Sheet (NO RUST 7)

5 – FIRE-FIGHTING MEASURES

- GENERAL FIRE HAZARDS:** Wear other appropriate protective equipment as conditions warrant (see Section 8). Isolate damage area, keep unauthorized personnel out. Stop spill/release if it can be done with minimal risk. Move undamaged containers from danger area if it can be done with minimal risk. Fires involving small amounts of combustibles may be smothered with suitable dry chemicals. Use water on combustibles burning but avoid using water directly on acid as it results in evolution of heat and causes splattering.
- AUTOIGNITION TEMP:**..... No Data Available
- EXTINGUISHING MEDIA:**.....Fires involving small amount of combustibles may be smothered with suitable dry chemical, soda ash, lime, sand or CO₂. Use water on combustibles burning in vicinity of this material but use care as water applied directly to this acid may cause splattering.
- SPECIAL FIRE FIGHTING PROCEDURES:**.....Spilled product on ground may be slippery. Accordingly, safety precautions should be strictly observed when handling or cleaning it when spilled as the result of a fire.
- UNUSUAL FIRE AND EXPLOSION HAZARDS:**.....Containers may explode from internal pressure if confined to fire. Cool with water spray.

6 – ACCIDENTAL RELEASE MEASURES

- SPILL PROCEDURES:**Wear appropriate personal protective equipment before approaching spill site. For small spills, dilute with water to sewer if allowed by local and state regulations. If unable to wash product with water, absorb with inert material (sand or other approved material) and dispose of in accordance with applicable regulations.
- WASTE DISPOSAL:**.....Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.



Safety Data Sheet (NO RUST 7)

RCRA STATUS:.....If discarded in its purchased form, this product is considered a RCRA hazardous waste. It is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous waste. (40CFR261.20-24).

7 – HANDLING and STORAGE

STORAGE:..... Keep in a tightly closed container, stored in a cool, dry, ventilated area below 44°C (110°F). Protect against physical damage. Isolate from incompatible substances. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product. Drum must not be washed out or used for other purposes.

HANDLING:.....Avoid contact with eyes, skin and clothing. Do not inhale vapors and fumes. Wash thoroughly after handling. Use only with adequate ventilation. Do not take internally. For industrial use only.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

| HAZARDOUS INGREDIENT | PEL | TLV-TWA |
|----------------------|------------------|------------------|
| Tannic Acid | 10 ppm | 10 ppm |
| Barium sulfate | None Established | None Established |
| Polymer Emulsion | None established | None Established |



EXPOSURE CONTROLS:..... Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.



Safety Data Sheet (NO RUST 7)

RESPIRATORY PROTECTION:.....If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.

PROTECTIVE CLOTHING:..... **Eye/face protection:** Wear chemical goggles; face shield (if splashing is possible). **Skin protection:** Chemical resistant, impermeable gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron or chemical suit and chemical resistant boots are recommended.

ADDITIONAL MEASURES:.....Avoid contact with the skin and avoid breathing vapors. Do not eat, drink, or smoke in work area. Wash hands before eating, drinking, or using restroom. Do NOT place food, coffee or other drinks in the area where dusting or splashing of solutions is possible. Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Safety shower and eye wash should be available close to work areas.

9 – PHYSICAL / CHEMICAL PROPERTIES

BOILING POINT:..... 212°F (100°C)
FREEZING POINT:..... 32°F (0°C)
FLASHPOINT:Non-flammable
UPPER FLAME LIMIT (%):.....NA
LOWER FLAME LIMIT (%):.....NA
VAPOR PRESSURE:ND
VAPOR DENSITY (AIR=1):.....> 1
SPECIFIC GRAVITY:1.18 - 1.21
pH:2 - 3
SOLUBILITY IN WATER:.....35%
VOLATILITY
INCLUDING WATER:9.91 pounds per gallon
MOLECULAR WEIGHT:.....No data available (G/MOLE)
EVAPORATION RATE:Similar to water
PHYSICAL STATE:.....Liquid
COLOR:Opaque tan
ODOR:Bland



Safety Data Sheet (NO RUST 7)

10 – STABILITY and REACTIVITY

STABILITY:Stable
HAZARDOUS DECOMP.:Will not occur
INCOMPATIBILITY:Store separate from alkalis.
HAZARDOUS REACTIONS:.....This mixture may react with many organic and inorganic chemicals.

11 – TOXICOLOGICAL INFORMATION

THRESHOLD LIMIT VALUE:.....None established for this product
OSHA PEL:.....No occupational exposure limits have been established at this time.
LISTED CARCINOGEN:..... This product IS NOT listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest editions) or found to be a potential carcinogen by OSHA.
MEDICAL CONDITION
AGGRAVATED:.....Overexposure to these organic acid(s) in mist form may cause lung irritation and aggravate pulmonary conditions. Contact of acids with skin may aggravate diseases such as eczema and contact dermatitis.

INFORMATION ON ACUTE TOXICOLOGICAL EFFECTS

ORAL

Product:May cause severe irritation and/or serious burns of the mouth esophagus or stomach. May be harmful if swallowed.

DERMAL

Product:Splashes on the skin may cause mild to severe skin irritation or possible skin burns. Extended contact with concentrated material can be severely irritating to the skin and may result in redness, swelling, burns and skin damage. May cause some temporary skin staining on contact.

INHALATION

Product:May be harmful inhaled. May cause severe irritation of the nose, throat and respiratory tract.

REPEATED DOSE TOXICITY

Product:This product contains Tannic Acid. May cause irritation and burns. May be harmful if swallowed.

SKIN CORROSION / IRRITATION

Product:This product can cause mild to severe irritation of skin, including burns. The product acts as a mild irritant due to acid properties.



Safety Data Sheet (NO RUST 7)

SERIOUS EYE DAMAGE / IRRITATION

Product:Direct contact with the liquid or exposure to vapors or mists may cause stinging, tearing, redness, swelling, possible corneal damage or eye damage. Splashes in the eyes may cause chemical burns. Contact lenses should not be worn when working with this chemical.

RESPIRATORY OR SKIN SENSITIZATION

Product:Not expected to be sensitizing based on tests of this product, components, or similar products.

MUTAGENICITY

IN VITRO

Product:No Data Available

IN VIVO

Product:No Data Available

Specified Substance(s)

Information as provided by manufacturer

Tannic Acid

No Data Available

CARCINOGENICITY

Product:Based on available data, the classification criteria are not met.

REPRODUCTIVE TOXICITY

Product:Based on the available test, not expected to cause adverse effects on reproduction.

SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE

Product:..... **GENERAL:** Liquid or vapors may be irritating to skin and eyes.

INHALATION: High concentrations of vapor may cause irritation of the respiratory tract, experienced as nasal discomfort and discharge, possibly with chest pain and coughing. Headache, nausea, vomiting, dizziness, and drowsiness may occur. **EYES:** May cause mild to severe irritation experienced as discomfort or pain, excess blinking and tear production, possibly with marked redness and swelling of the conjunctiva. **SKIN:** Brief contact may cause slight irritation with itching and local redness. Prolonged contact, especially with concentrate, may cause more severe irritation, with discomfort or pain. **SWALLOWING:** May cause headache, dizziness, in-coordination, nausea, vomiting, diarrhea, and general weakness.

SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE

Product:The effects of long-term, low-level exposures to this product have not been determined. Safe handling of this material on a long-term basis should emphasize the avoidance of all effects from repetitive acute exposure. This product may aggravate existing eye, skin, and respiratory conditions.

ASPIRATION HAZARD

Product:Droplets of the product aspirated into the lungs through ingestion or vomiting may cause chemical pneumonia.

OTHER ADVERSE EFFECTS

Product:To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Handle in accordance with good industrial hygiene and safety practice.



Safety Data Sheet (NO RUST 7)

12 – ECOLOGICAL INFORMATION

ACUTE TOXICITY

FISH

Product:Ecotoxicity in water (LC50): 37 mg/l 96 hours [Mosquito fish] for Tannic Acid.

AQUATIC INVERTEBRATES

Product:Acids cause decreased pH values in the water. A low pH value harms aquatic organisms.

CHRONIC TOXICITY

FISH

Product:Not determined. Keep product out of sewers and waterways.

AQUATIC INVERTEBRATES

Product:Not determined. Keep product out of sewers and waterways.

TOXICITY TO AQUATIC PLANTS

Product:Acids or acidic products can cause decreased pH values in the water. A low pH value harms aquatic organisms.

PERSISTENCE AND DEGRADABILITY

BIODEGRADATION

Product:This product contains organic and non-organic ingredients. Biodegradability for organic ingredients under aerobic static laboratory conditions is high (BOD20 or BOD28 / THOD greater than 80%).

BIOLOGICAL OXYGEN DEMAND

Product:The methods for determining the biological degradability are not applicable to predominately inorganic substances.

CHEMICAL OXYGEN DEMAND

Product:No data available

BOD / COD RATIO

Product:No data available

BIOACCUMULATIVE POTENTIAL

Product:This material shows no bioaccumulation effect or food chain concentration toxicity.

MOBILITY IN SOIL

Product:Portions of this product expected to partition to water.

RESULTS OF PBT AND mPvB ASSESSMENT

Product:Not fulfilling PBT (persistent/bio accumulative/toxic) criteria. Not fulfilling vPvB (very persistent, very bio accumulative) criteria.

OTHER ADVERSE EFFECTS

Product:No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential or global warming potential) are expected from this product.



Safety Data Sheet (NO RUST 7)

13 –DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:.....Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

RCRA STATUS:.....If discarded in its purchased form, this product is considered a RCRA hazardous waste. It is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous waste. (40CFR261.20-24).

14 – TRANSPORTATION INFORMATION

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.



UN/NA NUMBER:.....3066

PROPER SHIPPING NAME:..... Paint related material, Corrosive

HAZARD CLASS:.....8

PACKAGING GROUP :.....III

LETTER:.....C (Corrosive substances)

ENVIRONMENTAL HAZARD:Because of modern treatment methods or method of use of this product, only an insignificant amount of the ingredients reaches the environment. That amount is at such levels as to typically not cause any adverse effects.

REPORTABLE QUANTITY:.....None



Safety Data Sheet (NO RUST 7)

15 - REGULATIONS

This Safety Data Sheet conforms to ANSI Z400.5, and to the format requirements and the International Chemical Safety Cards of the Global Harmonizing System. This SDS complies with 29 CFR 1910.1200 (HAZARD COMMUNICATION STANDARD). **IMPORTANT:** Read this SDS before handling & disposing of this product. Pass this information on to employees, customers, & users of this product.

EPA SRA Title III Chemical Listings:

TSCA STATUS:This product is listed on the TSCA inventory. If this product is a blend, all ingredients in the product are listed on the TSCA Inventory List. Any impurities present in this product are exempt from listing.

SECTION 302:None

SECTION 304:None

SECTION 312:Yes

SARA SECTION 313:None

ACUTE:Yes

CHRONIC:No

FIRE:No

PRESSURE:No

REACTIVE:No

CLEAN WATER ACT:Yes

IMDG – International Marine Dangerous Goods Code

UN3066, Paint Related Material, Corrosive, 8, PG III. EmS F-F, S-R. Marine Pollutant: No. Static Accumulator: No.

IATA

UN3066, Paint Related Material, Corrosive, 8, PG III.

DEA Chemical Trafficking Act: ..No

Homeland Security Regulated ..This product does not contain any reportable DHS chemicals.

California Proposition 65.....This product contains the following Proposition 65 chemicals:

Component.....This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Cal Prop 65..... Not Applicable/Not Available

Cal Prop 65 NSRL.....No Significant Risk Level

Category..... Not Applicable/Not Available



Safety Data Sheet (NO RUST 7)

US State Right to Know (RTK)

Component.....Chemical not Listed

MassachusettsNo

New JerseyNo

PennsylvaniaNo

IllinoisNo

Rhode Island.....No

****RTK Chemical(s)**Chemical not Listed

Canada NPRIChemical not Listed

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act): All ingredients in this product are listed on the DSL. Any impurities present in this product are exempt from listing.

AICS / NICNAS (Australian Inventory of Chemical Substances and National Industrial Chemicals Notification and Assessment Scheme): All ingredients in this product are listed on AICS or otherwise complies with NICNAS.

MITI (Japanese Handbook of Existing and New Chemical Substances): All ingredients in this product are listed in the Handbook or has been approved in Japan by new substance notification.

ECL (Korean Toxic Substances Control Act): All ingredients in this product are listed on the Korean inventory or otherwise complies with the Korean Toxic Substances Control Act.KE-04134

Philippines Inventory (PICCS): All ingredients in this product are listed on the Philippine Inventory or otherwise complies with PICCS.

Inventory of Existing Chemical Substances in China: All ingredients in this product are listed on the Inventory of Existing Chemical Substances in China (IECSC).



Safety Data Sheet (NO RUST 7)

16 – OTHER INFORMATION

HMIS*

| | |
|---------------------|---|
| HEALTH | 2 |
| FLAMMABILITY | 0 |
| REACTIVITY | 0 |
| PERSONAL PROTECTION | C |

**HMIS®HAZARD INDEX: 0=Minimal Hazard, 1=Slight Hazard, 2=Moderate Hazard, 3=Serious Hazard, 4=Severe Hazard. HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this SDS and product label must be considered.*

ND = No Data, NA = Not Applicable/Not Available, ≤ = Less than or equal to, ≥ = Greater than or equal to

REVISION STATEMENT: Changes have been made throughout this Safety Data Sheet (SDS). Please read the entire document. Prepared according to the OSHA Hazard Communication Standard (29 CFR 1910.1200) and The Globally Harmonized System of Classification and Labeling of Chemicals (GHS) by the Company Health and Risk Assessment Unit.

DISCLAIMER:

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, the Company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving this Safety Data Sheet (SDS) will make their own determination as to its suitability for their intended purposes prior to use. Since the product is within the exclusive control of the user, it is the user's obligation to determine the conditions of safe use of this product. Such conditions should comply with all Federal and State Regulations concerning the Product. It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. **NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.**

*****This is the last page of this SDS*****