

1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:..... SODA ASH LIQUID

CHEMICAL NAME/

CLASS/SYNONYMS: None

PRODUCT NUMBER: SODA ASH LIQUID

UN/NA NUMBER: None CHEMICAL FAMILY: Carbonates

CAS NUMBER: Not applicable for mixtures.

FORMULA: Na₂CO₃

COMPANY:......JMN Specialties, Inc.

1100 Victory Drive - Westwego, Louisiana USA 70094

Phone (504) 341-3749, Fax (504) 341-5868

www.jmnspecialties.com

USA +01-813-248-0585.

DATE PREPARED: February 28, 2019

2 – HAZARDS IDENTIFICATION

GHS HAZARD CLASSIFICATION:

Physical Hazards

Health Hazards

Skin Corrosion/Irritation: Catagory 2 - Causes skin irritation **Serious Eye Damage/Irritation:** Catagory 2A - Causes eye irritation

Aspiration Hazard:...... Catagory 2 - May be harmful if swallowed and enters airways.

WARNING LABEL ITEMS INCLUDING PRECAUTIONARY STATEMENTS:

Pictograms:



SIGNAL WORD: WARNING!

GHS HAZARD AND PRECAUTIONARY STATEMENTS:

H303 H313 H333: May be harmful if swallowed, in contact with skin or if inhaled

P101+102+103: If medical advice is needed, have product container or label at hand. Keep out of the reach of children. Read label before use.

P202+270+280+281: Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required.



P501: Dispose of contents/container: Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

TOTAL VOC's: None

3 - COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	PERCENT	CAS NUMBER
Sodium Carbonate	14 - 16	497-19-8
Water	50 - 98	7732-18-5

4 - FIRST-AID MEASURES

BREATHING (INHALATION): Remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial resuscitation. Keep person warm and at rest. Treat symptomatically and supportively. Seek medical attention immediately. Qualified medical personnel should consider administering oxygen. **SWALLOWING (INGESTION)**: Give large amounts of fresh water or milk immediately. Do not give anything by mouth if person is unconscious or otherwise unable to swallow. If vomiting occurs, keep head below hips to prevent aspiration. Treat symptomatically and supportively. Seek medical attention immediately. **EYES:** Flush eye with copious quantities of water. If persistent irritation occurs, obtain medical attention. water. If persistent irritation occurs, obtain medical attention. When using high pressure equipment, injection of product under the skin can occur. If high pressure injuries occur, the casualty should be sent immediately to a hospital. Do not wait for symptoms to develop. **NOTE TO PHYSICIAN:** May cause burns to the mouth, throat or stomach if swallowed. After swallowing danger of stomach perforation. On inhalation: Irritation of mucous membrane, coughing and shortness of breath. All treatments should be based on observed signs and symptoms of distress in the patient. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Consideration should be given to the possibility that overexposure to materials other than this

product may have occurred.



5 - FIRE-FIGHTING MEASURES

GENERAL FIRE HAZARDS: Fire fighters should wear full protective clothing, including self-

contained breathing equipment.

AUTOIGNITION TEMP:..... NA

EXTINGUISHING MEDIA: Determined by surrounding material. In case of fire, use water fog, dry

chemical, CO2, or "alcohol" foam.

SPECIAL FIRE FIGHTING

PROCEDURES: No action shall be taken involving any personal risk or without suitable

training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. Spilled product may

be slippery.

UNUSUAL FIRE AND

EXPLOSION HAZARDS:..... Containers may explode from internal pressure if confined to fire. Cool

with water spray.

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Wear appropriate personal protective equipment before approaching

spill site. For small spills, dilute with water to sewer if allowed by local and state regulations. If unable to wash product with water, absorb with inert material (sand or other approved material) and dispose of in

accordance with applicable regulations.

WASTE DISPOSAL: Treatment, storage, transportation and disposal must be in accordance

with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in

accordance with federal, state and local requirements.

RCRA STATUS:...... If discarded in its purchased form, it is not a RCRA hazardous waste. It

is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified

as a hazardous waste. (40CFR261.20-24).

7 - HANDLING and STORAGE

STORAGE: Keep in a tightly closed container, stored in a cool, dry, ventilated area

below 44°C (110°F). Protect against physical damage. Isolate from incompatible substances. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product. Drum must not be

washed out or used for other purposes.

fumes. Wash thoroughly after handling. Use only with adequate ventilation. Do not take internally. For industrial use only.

PAGE 3 of 9



8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

HAZARDOUS INGREDIENT PEL TLV-TWA

Sodium Carbonate None Established None Established

Water None Established None Established





EXPOSURE CONTROLS: Good general ventilation (typically 10 air changes per hour) should be

used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most

recent edition, for details.

RESPIRATORY PROTECTION: If engineering controls do not maintain airborne concentrations below

recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Air-purifying respirator with an appropriate,

government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for

specific information.

PROTECTIVE CLOTHING: Eye/face protection: Wear chemical goggles; face shield (if splashing

is possible). **Skin protection:** Chemical resistant, impermeable gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron or chemical suit and chemical resistant boots

are recommended.

ADDITIONAL MEASURES: Handle in accordance with good industrial hygiene and safety practice.

Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Safety shower and eye wash should be

available close to work areas.

9 - PHYSICAL / CHEMICAL PROPERITES

BOILING POINT: $212^{\circ}F (100^{\circ}C)$ **FREEZING POINT:** $32^{\circ}F (0^{\circ}C)$

FLASHPOINT:..... Non-flammable material

UPPER FLAME LIMIT (%): NA LOWER FLAME LIMIT (%): ... NA VAPOR PRESSURE:< 1



VAPOR DENSITY (AIR=1):...... > 1 (Air = 1) **SPECIFIC GRAVITY:** 1.13 - 1.15

SOLUBILITY IN WATER:..... Complete

VOLATILITY

INCLUDING WATER: 9.50 pounds per gallon

MOLECULAR WEIGHT: NA
EVAPORATION RATE: NA
PHYSICAL STATE: Liquid
COLOR: Straw
ODOR: Bland

10 - STABILITY and REACTIVITY

STABILITY: Stable

HAZARDOUS DECOMP.:..... Will not occur

INCOMPATIBILITY: Avoid direct contact with strong acids. Add slowly to water or acids

with dilution and agitation to avoid exothermic reaction. Avoid extended contact with aluminum, tin, zinc, leather, and organic materials. Contact with metals such as aluminum, magnesium, tin, and zinc may cause formation of flammable hydrogen gas. Precautions should be taken including monitoring the tank atmosphere for hazardous gases to ensure safety of personnel before vessel entry.

HAZARDOUS REACTIONS: Not expected to be Explosive, Self-Reactive, Self-Heating, or an

Organic Peroxide under US GHS Definition(s).

11 - TOXICOLOGICAL INFORMATION

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. **ACGIH**: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. **NTP**: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. **OSHA**: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

THRESHOLD LIMIT VALUE:.. None Established for this Product

OSHA PEL:..... None Established

LISTED CARCINOGEN: This product IS NOT listed in the National Toxicology Program (NTP)

Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest editions) or found to be a potential

carcinogen by OSHA.

MEDICAL CONDITION

AGGRAVATED: Pre-existing medical conditions of the following organ(s) or organ

system(s) may be aggravated by exposure to this material: Respiratory

system. Eyes. Skin.



INFORMATION ON ACUTE TOXICOLOGICAL EFFECTS

ORAL	
Product:	Ingestion may cause a burning sensation in the mouth, irriation of the
lips, mouth, tongue and pharynx, and	d esophageal and abdominal pain, vomiting, nose bleeds, and bloody
diarrhea.	
DERMAL	
Product:	Prolonged or repeated skin contact may cause mild to severe irritation.
Skin contact may aggravate existing	dermatitis.
INHALATION	
Product:	Inhalation may cause severe irritation, coughing. Prolonged or repeated
overexposure by inhalation may caus	se headache, nausea, drowsiness.
REPEATED DOSE TOXICITY	
Product:	No Data Available
SKIN CORROSION / IRRITATION	ON
Product:	Effects are dependent upon concentration and duration of exposure.
Dermatitis or effects similar to those	for acute exposure may occur.
SERIOUS EYE DAMAGE / IRRI'	TATION
Product:	Eye contact with product may cause mild to severe irritation, possible
chemical burns, or eye damage.	
RESPIRATORY OR SKIN SENSI	ITIZATION
Product:	Not expected to be sensitizing based on tests of this product,
components, or similar products.	
MUTAGENCITY	
WUTAGENCITI	
IN VITRO	
Product:	No Data Available
IN VIVO	No Duta I I taliante
Product:	No Data Available
Specified Substance(s)	Information as provided by manufacturer
Sodium Carbonate	No Data Available
Sourain Sursonate	110 Buta 11 valuate
CARCINOGENICITY	
Product:	This product is not classified as a carcinogen by NTP, IARC or OSHA.
REPODUCTIVE TOXICITY	
Product:	Based on available data the classification criteria are not met. Not
classified as hazardous.	
SPECIFIC TARGET ORGAN TO	XICITY – SINGLE EXPOSURE
	uid or vapors may be irritating to skin and eyes. INHALATION: High
concentrations of vapor may cause in	ritation of the respiratory tract, experienced as nasal discomfort and
discharge possibly with chest pain a	nd coughing. Hoodocho nousee vemiting dizziness and droweiness

Product: GENERAL: Liquid or vapors may be irritating to skin and eyes. **INHALATION:** High concentrations of vapor may cause irritation of the respiratory tract, experienced as nasal discomfort and discharge, possibly with chest pain and coughing. Headache, nausea, vomiting, dizziness, and drowsiness may occur. **EYES:** May cause mild to severe irritation experienced as discomfort or pain, excess blinking and tear production, possibly with marked redness and swelling of the conjunctiva. **SKIN:** Brief contact may cause slight irritation with itching and local redness. Prolonged contact, especially with concentrate, may cause more severe irritation, with discomfort or pain. **SWALLOWING:** May cause headache, dizziness, in-coordination, nausea, vomiting, diarrhea, and general weakness.

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE



ASPIRATION HAZAR	D
Product:	
vomiting may cause chem	iical pneumonia.
OTHER ADVERSE EF	FECTS
Product.	Negligible ecotoxicity

Product:				
12 – ECOLOGICAL INFORMATION				
ACUTE TOXICITY				
FISH Product:				
with risk of harmful effects to fresh or salt water fish. AQUATIC INVERTEBRATES				
Product:				
CHRONIC TOXICITY FISH				
Product:				
Product:				
Product:				
with risk of harmful effects to aquatic plants.				
PERSISTENCE AND DEGRADABILITY				
BIODEGRADATION				
Product:				
applicable to predominately inorganic substances. BIOLOGICAL OXYGEN DEMAND				
Product:				
CHEMICAL OXYGEN DEMAND				
Product:				
BOD / COD RATIO				
Product:				
BIOACCUMULATIVE POTENTIAL Product:				
solubility in water. It is considered slightly toxic to aquatic organisms unless there is a significant pH shift				
outside the range of $5-10$; this change may be toxic to aquatic organisms.				
MOBILITY IN SOIL				
Product: Expected to partition to water. The pH effect of sodium carbonate in				
water is naturally reduced by the absorption of atmospheric carbon dioxide. This reduction is also effected				
by dilution with water and by the natural acidity of a given water body. There is no degradation of sodium				
carbonate in waters, only loss by absorption or through chemical neutralization.				
RESULTS OF PBT AND mPvB ASSESSMENT				
Product:				
OTHER ADVERSE EFFECTS				
D. I. C. L.				

Product: This material is believed to persist in the environment.



13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Treatment, storage, transportation and disposal must be in accordance

with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in

accordance with federal, state and local requirements.

If discarded in its purchased form, it is not a RCRA hazardous waste. It RCRA STATUS:.... is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified

as a hazardous waste. (40CFR261.20-24).

14 - TRANSPORTATION INFORMATION

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.

UN/NA NUMBER: None

PROPER SHIPPING NAME: Non-Regulated

HAZARD CLASS:..... None PACKAGING GROUP :..... None LETTER:..... None

ENVIRONMENTAL HAZARD: Sodium Carbonate is not expected to bioaccumulate due to its high

solubility in water. It is considered slightly toxic to aquatic organisms unless there is a significant pH shift outside the range of 5 - 10, which

may be toxic to aquatic organisms.

REPORTABLE QUANTITY: None

15 - REGULATIONS

This Safety Data Sheet conforms to ANSI Z400.5, and to the format requirements and the International Chemical Safety Cards of the Global Harmonizing System. This SDS complies with 29 CFR 1910.1200 (HAZARD COMMUNICATION STANDARD). IMPORTANT: Read this SDS before handling & disposing of this product. Pass this information on to employees, customers, & users of this product.

EPA SRA Title III Chemical Listings:

TSCA STATUS: This product is listed on the TSCA inventory. If this product is a blend, all ingredients in the product are listed on the TSCA Inventory List.

Any impurities present in this product are exempt from listing.

SECTION 302:..... None **SECTION 304:.....** None SECTION 312:



 SARA SECTION 313:
 None

 ACUTE:
 Yes

 CHRONIC:
 No

 FIRE:
 No

 PRESSURE:
 No

 REACTIVE:
 No

 CLEAN WATER ACT:
 None

IMDG - International Marine Dangerous Goods Code

Class Non Regulated - Possible Shipping Description(s): Non Regulated

IATA

Class Non Regulated - Possible Shipping Description(s): Non Regulated

DEA Chemical Trafficking Act:.. No

16 – OTHER INFORMATION

HMIS*		
HEALTH		1
FLAMMABILITY		0
REACTIVITY		0
PERSONAL PROTECTION	ON	В

*HMIS®HAZARD INDEX: 0=Minimal Hazard, 1=Slight Hazard, 2=Moderate Hazard, 3=Serious Hazard, 4=Severe Hazard. HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this SDS and product label must be considered.

ND = No Data, NA = Not Applicable/Not Available, \leq = Less than or equal to, \geq = Greater than or equal to

REVISION STATEMENT: Changes have been made throughout this Safety Data Sheet (SDS). Please read the entire document. Prepared according to the OSHA Hazard Communication Standard (29 CFR 1910.1200) and The Globally Harmonized System of Classification and Labeling of Chemicals (GHS) by the Company Health and Risk Assessment Unit.

DISCLAIMER:

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, the Company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving this Safety Data Sheet (SDS) will make their own determination as to its suitability for their intended purposes prior to use. Since the product is within the exclusive control of the user, it is the user's obligation to determine the conditions of safe use of this product. Such conditions should comply with all Federal and State Regulations concerning the Product. It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. NO REPRESENTATIONS OR WARRANTIES, **EITHER EXPRESS** OR IMPLIED, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

This is the last page of this SDS