

1 – PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:	WALTER DEGREASER
CHEMICAL NAME/	
CLASS/SYNONYMS:	Degreaser
PRODUCT NUMBER:	WALTER DEGREASER
UN/NA NUMBER:	1760
CHEMICAL FAMILY:	Compounds, Cleaning Liquid
CAS NUMBER:	Not applicable for mixtures.
FORMULA:	Proprietary
COMPANY:	JMN Specialties, Inc.
COMPANY:	JMN Specialties, Inc. 1100 Victory Drive – Westwego, Louisiana USA 70094
COMPANY:	• •
COMPANY:	1100 Victory Drive – Westwego, Louisiana USA 70094
COMPANY:	1100 Victory Drive – Westwego, Louisiana USA 70094 Phone (504) 341-3749, Fax (504) 341-5868 www.jmnspecialties.com
	1100 Victory Drive – Westwego, Louisiana USA 70094 Phone (504) 341-3749, Fax (504) 341-5868 www.jmnspecialties.com
	1100 Victory Drive – Westwego, Louisiana USA 70094 Phone (504) 341-3749, Fax (504) 341-5868 <u>www.jmnspecialties.com</u> CALL CHEMTEL: Toll Free US & Canada: (800) 255-3924, Outside USA +01-813-248-0585.

2 – HAZARDS IDENTIFICATION

GHS HAZARD CLASSIFICATION:

EMERGENCY OVERVIEW:

Pictograms:



Signal Word (GHS-US):DANGER!



Hazard Statements:

Physical Hazards (GHS-US):

H290: May be corrosive to metals

Health Hazards (GHS-US):

H314: Causes severe skin burns and eye damage

Environmental Hazards (GHS-US):

H402: Harmful to aquatic life

Precautionary Statements (GHS-US):

P101+102+103: If medical advice is needed, have product container or label at hand. Keep out of the reach of children. Read label before use.

P234+P264: Keep only in original container. Wash hands/skin thoroughly after handling. P260+P273+P280: Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. **Response Statements (GHS-US):**

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do not induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER/doctor/physician. P363: Wash contaminated clothing before reuse. P390: Absorb spillage to prevent material-damage. P405: Store locked up. P406: Store in corrosive resistant container with a resistant inner liner.

P501: Dispose of contents/container: Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations, and product characteristics at time of disposal.

3 – COMPOSITION / INFORMATION ON INGREDIENTS		
HAZARDOUS INGREDIENT	PERCENT*	CAS NUMBER
Potassium Hydroxide	3 - 8	1310-58-3
Glycol Ether EB	10 - 15	111-76-2
Nonionic Surfactant(s)	5 - 10	127087-87-0

TOTAL VOC's:.....< 3.3%

*Any concentration shown as a range is to protect confidentiality or is due to batch variation.



4 – FIRST-AID MEASURES

BREATHING (INHALATION):	Remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial resuscitation. Keep person warm and at rest. Treat symptomatically and supportively. Seek medical attention immediately. Qualified medical personnel should consider administering oxygen.
SWALLOWING (INGESTION):	Give large amounts of fresh water or milk immediately. Do not give anything by mouth if person is unconscious or otherwise unable to swallow. If vomiting occurs, keep head below hips to prevent aspiration. Treat symptomatically and supportively. Seek medical attention immediately.
EYES:	Flush eye with copious quantities of water. If persistent
	irritation occurs, obtain medical attention.
SKIN (DERMAL):	Remove contaminated clothing and wash affected skin with soap and water. If persistent irritation occurs, obtain medical attention. When using high pressure equipment, injection of product under the skin can occur. If high pressure injuries occur, the casualty should be sent immediately to a hospital. Do not wait for symptoms to develop.
NOTE TO PHYSICIAN:	All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

5 – FIRE-FIGHTING MEASURES

	Water based blend - Non Flammable None - Water based material
EXTINGUISHING MEDIA:	Determined by surrounding material. In case of fire, use water fog, dry chemical, CO_2 , or "alcohol" foam. Firefighting should be attempted only by those who are adequately trained and
SPECIAL FIRE FIGHTING	equipped with proper protective equipment.
PROCEDURES: UNUSUAL FIRE AND	Spilled product on ground may be slippery.
EXPLOSION HAZARDS:	Containers may explode from internal pressure if confined to fire. Cool with water spray.



6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:	Wear appropriate personal protective equipment before approaching spill site. For small spills, dilute with water to sewer if allowed by local and state regulations. If unable to wash product with water, absorb with inert material (sand or other approved material) and dispose of in accordance with applicable regulations.
WASTE DISPOSAL:	Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.
RCRA STATUS:	"If discarded in its purchased form, this product is considered a RCRA hazardous waste. It is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous waste. (40CFR261.20-24).

7 – HANDLING and STORAGE

STORAGE:	. Keep in a tightly closed container, stored in a cool, dry,
	ventilated area below 44°C (110°F). Protect against physical
	damage. Isolate from incompatible substances. Containers of
	this material may be hazardous when empty since they retain
	product residues (vapors, liquid); observe all warnings and
	precautions listed for the product. Drum must not be washed
	out or used for other purposes.
HANDLING:	Avoid contact with eyes, skin and clothing. Do not inhale vapors
	and fumes. Wash thoroughly after handling. Use only with
	adequate ventilation. Do not take internally. For industrial use
	only.



8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

HAZARDOUS INGREDIENT Potassium Hydroxide Glycol Ether EB Nonionic Surfactant(s) PEL 2 mg/m³ 50 ppm None Established **TLV-TWA** 2 mg/m³

50 ppm None Established



should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details. **RESPIRATORY PROTECTION:.....**If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information. PROTECTIVE CLOTHING:..... Eye/face protection: Wear chemical goggles; face shield (if

splashing is possible). Skin protection: Chemical resistant, impermeable gloves, impervious full body protection or impervious apron as needed. Protective Equipment should be tested to determine suitability for prolonged contact.



9 – PHYSICAL / CHEMICAL PROPERITES

BOILING POINT:	. 212°F (100°C)
FREEZING POINT:	. 32°F (0°C)
FLASHPOINT:	Non-flammable material
UPPER FLAME LIMIT (%):	.NA
LOWER FLAME LIMIT (%):	.NA
VAPOR PRESSURE:	.ND
VAPOR DENSITY (AIR=1):	.> 1
SPECIFIC GRAVITY:	.1.06 - 1.08
рН:	.13.2 - 13.8
SOLUBILITY IN WATER:	.Complete
VOLATILITY	
INCLUDING WATER:	.8.95 pounds per gallon
MOLECULAR WEIGHT:	No data available (G/MOLE).
EVAPORATION RATE:	Similar to Water
PHYSICAL STATE:	Liquid
COLOR:	.Clear Bright Yellow
ODOR:	Mild Detergent

10 – STABILITY and REACTIVITY

STABILITY:Stable HAZARDOUS DECOMP.:Will not occur INCOMPATIBILITY:Oxidizers or Oxidizing Materials. HAZARDOUS REACTIONS:.....Not expected to be Explosive, Self-Reactive, Self-Heating, or an Organic Peroxide under US GHS Definition(s).

11 – TOXICOLOGICAL INFORMATION

THRESHOLD LIMIT VALUE:	None Established for this Product
OSHA PEL:	None Established for this Product
LISTED CARCINOGEN:	This product IS NOT listed in the National Toxicology Program
	(NTP) Report on Carcinogens (latest edition) or has been found
	to be a potential carcinogen in the International Agency for
	Research on Cancer (IARC) Monographs (latest editions) or
	found to be a potential carcinogen by OSHA.
MEDICAL CONDITION	
AGGRAVATED:	Existing dermatitis.



INFORMATION ON ACUTE TOXICOLOGICAL EFFECTS

ORAL

Product:Corrosive, may cause burns to mouth, throat and stomach. Harmful or fatal if swallowed.

DERMAL

Product:Corrosive, may cause skin burns. May cause permanent damage. Harmful contact may not cause immediate pain.

INHALATION

Product:Corrosive, inhalation of mists may cause corrosive effects to nose, throat, and respiratory system.

REPEATED DOSE TOXICITY

Product:Based on the toxicity profile and exposure scenarios for this Product, the risks from chronic and subchronic exposure to low levels of this Product are possible with possible severe consequence to human health.

SKIN CORROSION / IRRITATION

Product:Repeated and prolonged exposure to concentrated material may cause dermatitis or chemical burns.

SERIOUS EYE DAMAGE / IRRITATION

Product:Corrosive, causes eye burns. May cause permanent damage including blindness without immediate first aid treatment.

RESPIRATORY OR SKIN SENSITIZATION

Product:No Data Available

MUTAGENCITY

IN VITRO

Product:No Data Available

IN VIVO

Product:No Data Available

Specified Substance(s)

2-butoxyethanol; butyl cellosolve

No Data Available

Information as provided by manufacturer

CARCINOGENICITY

Product:Based on available data the classification criteria are not met. Not classified as hazardous.

REPODUCTIVE TOXICITY

Product:Based on available data the classification criteria are not met. Not classified as hazardous.



SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE

SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE

ASPIRATION HAZARD

Product:Droplets of the product aspirated into the lungs through ingestion or vomiting may cause chemical pneumonia.

OTHER ADVERSE EFFECTS

Product:To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Handle in accordance with good industrial hygiene and safety practice.

12 – ECOLOGICAL INFORMATION

ACUTE TOXICITY

FISH

Product:Fish: Expected to have low toxicity: >10 - <100 mg/L (based on similar products / components)

AQUATIC INVERTEBRATES

Product:Daphnia magna: Expected to have low toxicity: >10 - <100 mg/L (based on similar products / components) (based on similar products / components)

CHRONIC TOXICITY

FISH

Product:NOEC/NOEL: >10 - <100 mg/L (based on similar products /
components)</pre>

AQUATIC INVERTEBRATES

Product:NOEC/NOEL: >10 - <100 mg/L (based on similar products /
components)</pre>

TOXICITY TO AQUATIC PLANTS

Product:The product may affect the acidity or alkalinity (pH-factor) in water with risk of harmful effects to aquatic plants.



PERSISTENCE AND DEGRADABILITY

BIODEGRADATION

Product:This product contains organic and non-organic ingredients. Biodegradability for organic ingredients under aerobic static laboratory conditions is high (BOD20 or BOD28 / THOD greater than 80%).

BIOLOGICAL OXYGEN DEMAND

Product:No data available

CHEMICAL OXYGEN DEMAND

Product:No data available

BOD / COD RATIO

Product:No data available

BIOACCUMULATIVE POTENTIAL

Product:Potential to bioaccumate is low.

MOBILITY IN SOIL

Product:Expected to partition to water.

RESULTS OF PBT AND mPvB ASSESSMENT

Product:Not fulfilling PBT (persistent/bioaccumulative/toxic) criteria. Not fulfilling vPvB (very persistent, very bioaccumulative) criteria.

OTHER ADVERSE EFFECTS

Product:No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential or global warming potential) are expected from this product.

13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:	Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local
	Regulations. Regulations may vary in different locations.
	Characterization and compliance with applicable laws are the
	responsibility solely of the generator. Whatever cannot be
	saved for recovery or recycling should be managed in an
	appropriate and approved waste disposal facility. Processing,
	use or contamination of this product may change the waste
	management options. State and local disposal regulations may
	differ from federal disposal regulations. Dispose of container
	and unused contents in accordance with federal, state and local requirements.
RCRA STATUS:	If discarded in its purchased form, this product is considered a
	RCRA hazardous waste. It is the responsibility of the product
	user to determine at the time of disposal, whether a material
	containing the product should be classified as a hazardous
	waste. (40CFR261.20-24).



14 – TRANSPORTATION INFORMATION

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.



UN/NA NUMBER:	1760
PROPER SHIPPING NAME:	Corrosive Liquid, n.o.s., Contains (Potassium Hydroxide)
HAZARD CLASS:	8
PACKAGING GROUP :	
LETTER:	C (Corrosive substances)
ENVIRONMENTAL HAZARD:	Because of modern treatment methods or method of use of this product, only an insignificant amount of the ingredients reaches the environment. That amount is at such levels as to
	typically not cause any adverse effects.
REPORTABLE QUANTITY:	9,010 pounds (4,087 Kg) based on Potassium Hydroxide CAS# 1310-58-3 in mixture.

15 - REGULATIONS

This Safety Data Sheet conforms to ANSI Z400.5, and to the format requirements and the International Chemical Safety Cards of the Global Harmonizing System. This SDS complies with 29 CFR 1910.1200 (HAZARD COMMUNICATION STANDARD). **IMPORTANT:** Read this SDS before handling & disposing of this product. Pass this information on to employees, customers, & users of this product.

EPA SRA Title III Chemical Listings:

TSCA STATUS:	"This product is listed on the TSCA inventory. If this product is a blend, all ingredients in the product are listed on the TSCA Inventory List. Any impurities present in this product are exempt from listing.
SECTION 302:	None
SECTION 304:	None
SECTION 312:	Yes
SARA SECTION 313:	9,010 pounds (4,087 Kg) based on Potassium Hydroxide CAS# 1310-58-3 in mixture, this product is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.30.
ACUTE:	Yes (Eyes)
CHRONIC:	Yes
FIRE:	No
PRESSURE:	No



REACTIVE:.....No CLEAN WATER ACT:.....Section 311

IMDG – International Marine Dangerous Goods Code

UN1760, Corrosive Liquid, N.O.S. Contains (Potassium Hydroxide), 8, PG II. EmS F-A, S-B. Marine Pollutant: No. **IATA**

UN1760, Corrosive Liquid, N.O.S. Contains (Potassium Hydroxide), 8, PG II.

DEA Chemical Trafficking Act: .. No

Homeland Security Regulated .. This product does not contain any reportable DHS chemicals.

California Proposition 65	This product contains the following Proposition 65 chemicals:
Component	This product does not contain any chemicals known to the State
of California to cause cancer, b	irth, or any other reproductive defects.
Cal Prop 65	. Not Applicable/Not Available
Cal Prop 65 NSRL	No Significant Risk Level
Category	. Not Applicable/Not Available

US State Right to Know (RTK)

Component.....Potassium Hydroxide CAS# 1310-58-3

MassachusettsYes **

New Jersey	Yes **
Pennsylvania	Yes **
Illinois	Yes **
Rhode Island	Yes **

****RTK Chemical(s)**Potassium Hydroxide CAS# 1310-58-3

Canada NPRIPotassium Hydroxide CAS# 1310-58-3

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act): All ingredients in this product are listed on the DSL. Any impurities present in this product are exempt from listing.

AICS / NICNAS (Australian Inventory of Chemical Substances and National Industrial Chemicals Notification and Assessment Scheme): All ingredients in this product are listed on AICS or otherwise complies with NICNAS.

MITI (Japanese Handbook of Existing and New Chemical Substances): All ingredients in this product are listed in the Handbook or has been approved in Japan by new substance notification.

ECL (Korean Toxic Substances Control Act): All ingredients in this product are listed on the Korean inventory or otherwise complies with the Korean Toxic Substances Control Act.KE-04134 Philippines Inventory (PICCS): All ingredients in this product are listed on the Philippine Inventory or otherwise complies with PICCS.

Inventory of Existing Chemical Substances in China: All ingredients in this product are listed on the Inventory of Existing Chemical Substances in China (IECSC).



16 – OTHER INFORMATION

HMIS*		
HEALTH	2	
FLAMMABILITY	0	
REACTIVITY	0	
PERSONAL PROTECTI	ON H	

***HMIS®HAZARD INDEX: 0=Minimal Hazard, 1=Slight Hazard, 2=Moderate Hazard, 3=Serious Hazard, 4=Severe Hazard.** HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this SDS and product label must be considered.

ND = No Data, NA = Not Applicable/Not Available, \leq = Less than or equal to, \geq = Greater than or equal to

REVISION STATEMENT: Changes have been made throughout this Safety Data Sheet (SDS). Please read the entire document. Prepared according to the OSHA Hazard Communication Standard (29 CFR 1910.1200) and The Globally Harmonized System of Classification and Labeling of Chemicals (GHS) by the Company Health and Risk Assessment Unit.

DISCLAIMER:

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, the Company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving this Safety Data Sheet (SDS) will make their own determination as to its suitability for their intended purposes prior to use. Since the product is within the exclusive control of the user, it is the user's obligation to determine the conditions of safe use of this product. Such conditions should comply with all Federal and State Regulations concerning the Product. It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

This is the last page of this SDS