

1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:..... POWDERED STW 7550

CHEMICAL NAME/

CLASS/SYNONYMS: None

PRODUCT NUMBER: POWDERED STW 7550

UN/NA NUMBER: None

CHEMICAL FAMILY: Compounds, Cleaning **CAS NUMBER:** Not applicable for mixtures.

FORMULA: Proprietary

COMPANY:.....JMN Specialties, Inc.

1100 Victory Drive - Westwego, Louisiana USA 70094

Phone (504) 341-3749, Fax (504) 341-5868

www.jmnspecialties.com

EMERGENCY PHONE: CALL CHEMTEL: Toll Free US & Canada: (800) 255-3924, Outside

USA +01-813-248-0585.

DATE PREPARED: February 28, 2019

2 – HAZARDS IDENTIFICATION

GHS HAZARD CLASSIFICATION:

Physical Hazards

Health Hazards

Aspiration Hazard:...... Catagory 2 - May be harmful if swallowed and enters airways.

WARNING LABEL ITEMS INCLUDING PRECAUTIONARY STATEMENTS:

Pictograms:



SIGNAL WORD: WARNING!

GHS HAZARD AND PRECAUTIONARY STATEMENTS:

H303 H313 H333: May be harmful if swallowed, in contact with skin or if inhaled

P101+102+103: If medical advice is needed, have product container or label at hand. Keep out of the reach of children. Read label before use.

P202+270+280+281: Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required.



P501: Dispose of contents/container: Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

TOTAL VOC's: None

3 - COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	PERCENT	CAS NUMBER
Inorganic Builders	85 - 99	Confidential
Fatty Alcohol Ethoxylates	10 - 20	Confidential
Water	1 - 10	7732-18-5

4 - FIRST-AID MEASURES

BREATHING (INHALATION): Remove from exposure area to fresh air immediately. If breathing has

stopped, perform artificial resuscitation. Keep person warm and at rest. Treat symptomatically and supportively. Seek medical attention immediately. Qualified medical personnel should consider

administering oxygen.

SWALLOWING (INGESTION): Give large amounts of fresh water or milk immediately. Do not give

anything by mouth if person is unconscious or otherwise unable to swallow. If vomiting occurs, keep head below hips to prevent aspiration. Treat symptomatically and supportively. Seek medical

attention immediately.

EYES: Flush eye with copious quantities of water. If persistent irritation

occurs, obtain medical attention.

water. If persistent irritation occurs, obtain medical attention. When using high pressure equipment, injection of product under the skin can occur. If high pressure injuries occur, the casualty should be sent immediately to a hospital. Do not wait for symptoms to develop

swallowed. After swallowing danger of stomach perforation. On inhalation: Irritation of mucous membrane, coughing and shortness of breath. All treatments should be based on observed signs and symptoms of distress in the patient. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Consideration should be given to the possibility that overexposure to

materials other than this product may have occurred.



5 - FIRE-FIGHTING MEASURES

GENERAL FIRE HAZARDS: Fire fighters should wear full protective clothing, including self-

contained breathing equipment.

AUTOIGNITION TEMP:..... NA

EXTINGUISHING MEDIA: Determined by surrounding material. In case of fire, use water fog, dry

chemical, CO2, or "alcohol" foam.

SPECIAL FIRE FIGHTING

training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. Spilled product may

be slippery.

UNUSUAL FIRE AND

EXPLOSION HAZARDS:..... Containers may explode from internal pressure if confined to fire. Cool

with water spray.

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Wear appropriate personal protective equipment before approaching

spill site. For small spills, dilute with water to sewer if allowed by local and state regulations. If unable to wash product with water, absorb with inert material (sand or other approved material) and dispose of in

accordance with applicable regulations.

WASTE DISPOSAL: Treatment, storage, transportation and disposal must be in accordance

with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in

accordance with federal, state and local requirements.

RCRA STATUS:...... If discarded in its purchased form, it is not a RCRA hazardous waste. It

is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified

as a hazardous waste. (40CFR261.20-24).

7 - HANDLING and STORAGE

STORAGE: Keep in a tightly closed container, stored in a cool, dry, ventilated area

below 44°C (110°F). Protect against physical damage. Isolate from incompatible substances. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product. Drum must not be

washed out or used for other purposes.

HANDLING: Avoid contact with eyes, skin and clothing. Do not inhale vapors and

fumes. Wash thoroughly after handling. Use only with adequate ventilation. Do not take internally. For industrial use only.



8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

HAZARDOUS INGREDIENT PEL TLV-TWA

Inorganic Builders None Established None Established
Fatty Alcohol Ethoxylates None Established None Established
Water None Established None Established





EXPOSURE CONTROLS: Good general ventilation (typically 10 air changes per hour) should be

used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most

recent edition, for details.

RESPIRATORY PROTECTION: If engineering controls do not maintain airborne concentrations below

recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Air-purifying respirator with an appropriate,

government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for

specific information.

PROTECTIVE CLOTHING: Eye/face protection: Wear chemical goggles; face shield (if splashing

is possible). **Skin protection:** Chemical resistant, impermeable gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron or chemical suit and chemical resistant boots

are recommended.

ADDITIONAL MEASURES: Handle in accordance with good industrial hygiene and safety practice.

Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Safety shower and eye wash should be

available close to work areas.

9 - PHYSICAL / CHEMICAL PROPERITES

BOILING POINT: Not Applicable

FREEZING POINT: NA

FLASHPOINT:...... Non-flammable material

UPPER FLAME LIMIT (%): NA LOWER FLAME LIMIT (%): ... NA



VAPOR PRESSURE:.....ND VAPOR DENSITY (AIR=1):.....ND

SPECIFIC GRAVITY: 1.80 - 2.50

SOLUBILITY IN WATER:..... Complete

VOLATILITY

INCLUDING WATER: None

MOLECULAR WEIGHT: No data available (G/MOLE)

EVAPORATION RATE:..... NA

PHYSICAL STATE: Granular solid

COLOR: Red ODOR: Cherry

10 - STABILITY and REACTIVITY

STABILITY: Stable

HAZARDOUS DECOMP.:..... Will not occur

INCOMPATIBILITY: Avoid direct contact with strong acids and organic materials. Contact

with metals such as aluminum, magnesium, tin, and zinc may cause formation of flammable hydrogen gas. Precautions should be taken including monitoring the tank atmosphere for hazardous gases to ensure

safety of personnel before vessel entry.

HAZARDOUS REACTIONS: Not expected to be Explosive, Self-Reactive, Self-Heating, or an

Organic Peroxide under US GHS Definition(s).

11 - TOXICOLOGICAL INFORMATION

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. **ACGIH**: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. **NTP**: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. **OSHA**: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

THRESHOLD LIMIT VALUE:.. None Established for this Product

OSHA PEL: None

LISTED CARCINOGEN: This product IS NOT listed in the National Toxicology Program (NTP)

Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest editions) or found to be a potential

carcinogen by OSHA.

MEDICAL CONDITION

AGGRAVATED: Pre-existing medical conditions of the following organ(s) or organ

system(s) may be aggravated by exposure to this material: Respiratory

system. Eyes. Skin.



INFORMATION ON ACUTE TOXICOLOGICAL EFFECTS

ORAL			
Product:			
lips, mouth, tongue and pharynx, and eso	phageal and abdominal pain, vomiting, nose bleeds, and bloody		
diarrhea.			
DERMAL			
Product: Prolo	onged contact with concentrated material may cause skin irritation.		
INHALATION			
	r cause irritation of the upper respiratory tract with sore throat, ause severe irritation of the respiratory tract with coughing, is membranes.		
REPEATED DOSE TOXICITY			
Product: No D	Pata Available		
SKIN CORROSION / IRRITATION			
Product: Effect	ets are dependent upon concentration and duration of exposure.		
Dermatitis or effects similar to those for a	acute exposure may occur.		
SERIOUS EYE DAMAGE / IRRITAT	ION		
Product:Dust	or mist may cause severe irritation and redness of the eyes. The		
full extent of the injury may not be immed	diately apparent.		
RESPIRATORY OR SKIN SENSITIZ	ATION		
Product: Not e	expected to be sensitizing based on tests of this product,		
components, or similar products.			
MUTAGENCITY			
IN VITRO			
Product: No D IN VIVO			
Product: No D			
Specified Substance(s)	Information as provided by manufacturer		
Fatty Alcohol Ethoxylate	No Data Available		
CARCINOGENICITY			
	product is not classified as a carcinogen by NTP, IARC or OSHA.		
REPODUCTIVE TOXICITY	product is not classified as a carcinogen by 1411, TARC of OSTIA.		
	d on available data the classification criteria are not met. Not		
classified as hazardous.			
SPECIFIC TARGET ORGAN TOXIC	TITY – SINGLE EXPOSURE		
Product: GENERAL: Dusts or	particles may be irritating to skin, eyes, or mucous membranes.		
	particles may cause irritation of the respiratory tract, experienced a		
drowsiness may occur. EYES: May cau	st pain and coughing. Headache, nausea, vomiting, dizziness, and se slight to severe irritation experienced as discomfort or pain,		
excess tear production, with possible redu	ness and swelling of the conjunctiva. SKIN: Brief contact may		

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE

and general weakness.

Product:...... May cause irritation to the lungs, gastrointestinal tract, upper respiratory tract, skin, eyes. Contains material which may cause damage to the eye, lens or cornea, and the irritation to the stomach if swallowed.

cause slight irritation with itching and local redness. Prolonged contact may cause more severe irritation, with discomfort or pain. **SWALLOWING:** May cause headache, dizziness, nausea, vomiting, diarrhea,



(1 3 11 2 1 1 1 1 3 3)
ASPIRATION HAZARD Product:
vomiting may cause chemical pneumonia.
OTHER ADVERSE EFFECTS
Product:
12 – ECOLOGICAL INFORMATION
12 LOOLOGICAL IN ORMATION
ACUTE TOXICITY
FISH
Product:
AQUATIC INVERTEBRATES
Product: This material has exhibited slight toxicity to terrestrial organisms.
CHRONIC TOXICITY
Product: This material has exhibited slight toxicity to terrestrial organisms.
AQUATIC INVERTEBRATES
Product:
TOXICITY TO AQUATIC PLANTS
Product: Freshwater algae are destroyed above pH 8.5.
PERSISTENCE AND DEGRADABILITY
BIODEGRADATION
Product: 90% of his material is inorganic and not subject to biodegradation. The
balance of the mixture biodegradability under aerobic static laboratory conditions is high (BOD20 or
BOD28 / THOD greater than 89%). Ecotoxicity is based largely or completely on data for major
component(s). Material is practically non-toxic to aquatic organisms on an acute basis (LC50 is greater
than 100 mg/l in most sensitive species).
BIOLOGICAL OXYGEN DEMAND
Product:
CHEMICAL OXYGEN DEMAND Product:
BOD / COD RATIO
Product:
BIOACCUMULATIVE POTENTIAL
Product: This product will not bioaccumulate due to its high solubility in water.
It is considered slightly toxic to aquatic organisms unless there is a significant pH shift outside the range of
5-10; this change may be toxic to aquatic organisms.
MOBILITY IN SOIL
Product: Expected to partition to water. The pH effect of this product in water is
naturally reduced by the absorption of atmospheric carbon dioxide. This reduction is also effected by
dilution with water and by the natural acidity of a given water body. There is no degradation of the
inorganic material in waters, only loss by absorption or through chemical neutralization.
RESULTS OF PBT AND mPvB ASSESSMENT Not fulfilling PBT (persistent/biogeouppulative/toxic) criteria. Not
Product:

fulfilling vPvB (very persistent, very bioaccumulative) criteria.

Product: This material is believed to persist in the environment.

OTHER ADVERSE EFFECTS



13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Treatment, storage, transportation and disposal must be in accordance

with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in

accordance with federal, state and local requirements.

If discarded in its purchased form, it is not a RCRA hazardous waste. It RCRA STATUS:.... is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified

as a hazardous waste. (40CFR261.20-24).

14 - TRANSPORTATION INFORMATION

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.

UN/NA NUMBER: None

PROPER SHIPPING NAME: Non-Regulated

HAZARD CLASS:..... None PACKAGING GROUP :..... None LETTER:.....None

ENVIRONMENTAL HAZARD: This product is not expected to bioaccumulate due to its high solubility

in water. It is considered slightly toxic to aquatic organisms unless there is a significant pH shift outside the range of 5 - 10, which may be toxic

to aquatic organisms.

REPORTABLE QUANTITY: None

15 - REGULATIONS

This Safety Data Sheet conforms to ANSI Z400.5, and to the format requirements and the International Chemical Safety Cards of the Global Harmonizing System. This SDS complies with 29 CFR 1910.1200 (HAZARD COMMUNICATION STANDARD). IMPORTANT: Read this SDS before handling & disposing of this product. Pass this information on to employees, customers, & users of this product.

EPA SRA Title III Chemical Listings:

TSCA STATUS: This product is listed on the TSCA inventory. If this product is a blend, all ingredients in the product are listed on the TSCA Inventory List.

Any impurities present in this product are exempt from listing.

SECTION 302:..... None **SECTION 304:.....** None SECTION 312:



 SARA SECTION 313:
 None

 ACUTE:
 Yes (Eyes)

 CHRONIC:
 No

 FIRE:
 No

 PRESSURE:
 No

 REACTIVE:
 No

 CLEAN WATER ACT:
 None

IMDG - International Marine Dangerous Goods Code

Class Non Regulated - Possible Shipping Description(s): Non Regulated

IATA

Class Non Regulated - Possible Shipping Description(s): Non Regulated

DEA Chemical Trafficking Act:.. No

16 - OTHER INFORMATION

HMIS*		
HEALTH		1
FLAMMABILITY		0
REACTIVITY		0
PERSONAL PROTECTION		В

*HMIS®HAZARD INDEX: 0=Minimal Hazard, 1=Slight Hazard, 2=Moderate Hazard, 3=Serious Hazard, 4=Severe Hazard. HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this SDS and product label must be considered.

ND = No Data, NA = Not Applicable/Not Available, \leq = Less than or equal to, \geq = Greater than or equal to

REVISION STATEMENT: Changes have been made throughout this Safety Data Sheet (SDS). Please read the entire document. Prepared according to the OSHA Hazard Communication Standard (29 CFR 1910.1200) and The Globally Harmonized System of Classification and Labeling of Chemicals (GHS) by the Company Health and Risk Assessment Unit.

DISCLAIMER:

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, the Company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving this Safety Data Sheet (SDS) will make their own determination as to its suitability for their intended purposes prior to use. Since the product is within the exclusive control of the user, it is the user's obligation to determine the conditions of safe use of this product. Such conditions should comply with all Federal and State Regulations concerning the Product. It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. NO REPRESENTATIONS OR WARRANTIES, **EITHER EXPRESS** OR IMPLIED, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

This is the last page of this SDS