

1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:PERCHLOROETHYLENE

CHEMICAL NAME/

CLASS/SYNONYMS:.....Ethylene tetrachloride, Tetrachlorethylene, 1,1,2,2-

Tetrachloroethylene

PRODUCT NUMBER:.....PERCHLOROETHYLENE

UN/NA NUMBER:....1897

CHEMICAL FAMILY:Chlorinated solvent

COMPANY:JMN Specialties, Inc.

1100 Victory Drive - Westwego, Louisiana USA 70094

Phone (504) 341-3749, Fax (504) 341-5868

www.jmnspecialties.com

EMERGENCY PHONE:CALL CHEMTEL: Toll Free US & Canada: (800) 255-3924, Outside

USA +01-813-248-0585.

DATE PREPARED:October 14, 2022

2 – HAZARDS IDENTIFICATION

GHS HAZARD CLASSIFICATION:

Physical Hazards

Flammable Liquids:.....No Hazard Statement established for this Product Corrosive Liquids:.....No Hazard Statement established for this Product

Health Hazards

Acute Toxicity:......Category 4 - Harmful if swallowed, in contact with skin, inhaled

Skin Corrosion/Irritation: Catagory 2 - Causes skin irritation

Eye Damage/Irritation:Category 2B - Mildly irritating to eyes

Aspiration Hazard:.....Catagory 1 - May be fatal if swallowed and enters airways **Carcinogen:....**Category 1B - Presumed human carcinogens largly based on

well performed animal studies.

Specific Target Organ

Toxicity Single Exposure......Category 1 (Central nervous system, Liver, Respiratory system)

Specific Target Organ

Toxicity Repeated Exposure . Category 2 (Liver, Kidney, Central nervous system, Respiratory

system)

Hazardous to the Environment

Aquatic (Acute)......Category 2

Aquatic (Chronic)......Catagory 2

See Section 11 for additional Toxicological information



EMERGENCY OVERVIEW:

Pictograms:





Signal Word (GHS-US):DANGER!

Hazard Statements:

Physical Hazards (GHS-US):

No Hazard Statement established for this Product

Health Hazards (GHS-US):

H303 May be harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H341 Suspected of causing genetic defects. H350 May cause cancer. H371 May cause damage to organs.

Environmental Hazards (GHS-US):

H412: Harmful to aquatic life with long lasting effects

Precautionary Statements (GHS-US):

P101+102+103: If medical advice is needed, have product container or label at hand. Keep out of the reach of children. Read label before use.

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed. P260 Do not breathe dust/fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection. P281 Use personal protective equipment as required.

P233+P403+P405: Keep container tightly closed. Store in a well ventilated place. Store locked up.

Response Statements (GHS-US):

P301+P310+P330+P331: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting. P303+P310+P361+P353: IF ON SKIN (or hair): Gently wash with plenty of soap and water. Remove / Take off immediately all contaminated clothing. P332+P313: If skin irritation occurs: Get medical advice / attention. P304+P340+P312: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. P305+P351+P338+337+P313: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists get medical advice/attention. P362+P363 Take off contaminated clothing. Wash contaminated clothing before reuse.

P501: Dispose of contents/container: Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations, and product characteristics at time of disposal.

TOTAL VOC's:.....13.51 pounds per gallon



3 – COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT

PERCENT*

CAS NUMBER

Perchloroethylene (Tetrachlorethylene)

100

79-01-6

4 - FIRST-AID MEASURES

BREATHING (INHALATION):..... Remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial resuscitation. Keep person warm and at rest. Treat symptomatically and supportively. Seek medical attention immediately. Qualified medical personnel should consider administering oxygen. SWALLOWING (INGESTION):..... Give large amounts of fresh water or milk immediately. Do not give anything by mouth if person is unconscious or otherwise unable to swallow. If vomiting occurs, keep head below hips to prevent aspiration. Treat symptomatically and supportively. Seek medical attention immediately. EYES:Flush eye with copious quantities of water. If persistent irritation occurs, obtain medical attention. SKIN (DERMAL):Remove contaminated clothing and wash affected skin with soap and water. If persistent irritation occurs, obtain medical attention. When using high pressure equipment, injection of

product under the skin can occur. If high pressure injuries occur, the casualty should be sent immediately to a hospital. Do not wait for symptoms to develop.

NOTE TO PHYSICIAN:The hazards of this material are due mainly to its severely irritant properties on skin and mucosal surfaces. Signs and Symptoms of Exposure: burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Exposure to and/or consumption of alcohol may increase toxic effects., Gastrointestinal disturbance, kidney injury may occur, narcosis. All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

^{*}Any concentration shown as a range is to protect confidentiality or is due to batch variation. When not listed, mixtures may contain water [CAS No. 7732-18-5] to 100%.



5 – FIRE-FIGHTING MEASURES

GENERAL FIRE HAZARDS:Not Flammable **AUTOIGNITION TEMP:.....** No Data Available

EXTINGUISHING MEDIA:..... Determined by surrounding material. In case of fire, use water

fog, dry chemical, CO₂, or "alcohol" foam. Firefighting should be attempted only by those who are adequately trained and

equipped with proper protective equipment.

SPECIAL FIRE FIGHTING

PROCEDURES:..... Spilled product on ground may be slippery.

UNUSUAL FIRE AND

EXPLOSION HAZARDS:....Containers may explode from internal pressure if confined to

fire. Cool with water spray.

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:Wear appropriate personal protective equipment before

approaching spill site. For small spills, dilute with water to sewer if allowed by local and state regulations. If unable to wash product with water, absorb with inert material (sand or other approved material) and dispose of in accordance with

applicable regulations.

WASTE DISPOSAL:.....Treatment, storage, transportation and disposal must be in

accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local

requirements.

RCRA STATUS:.....If discarded in its purchased form, this product is considered a RCRA hazardous waste. It is the responsibility of the product

user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous

waste. (40CFR261.20-24).



7 - HANDLING and STORAGE

STORAGE:...... Keep in a tightly closed container, stored in a cool, dry,

ventilated area below 44°C (110°F). Protect against physical damage. Isolate from incompatible substances. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product. Drum must not be washed

out or used for other purposes.

HANDLING:......Avoid contact with eyes, skin and clothing. Do not inhale vapors

and fumes. Wash thoroughly after handling. Use only with adequate ventilation. Do not take internally. For industrial use

TLV-TWA

only.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

HAZARDOUS INGREDIENT PEL

Perchloroethylene (Tetrachlorethylene) 10 ppm 10 ppm









EXPOSURE CONTROLS:..... Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details.

RESPIRATORY PROTECTION:.....If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact



health and safety professional or manufacturer for specific information.

PROTECTIVE CLOTHING:..... Eye/face protection: Wear chemical goggles; face shield (if

splashing is possible). **Skin protection:** Chemical resistant, impermeable gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron or chemical suit and chemical resistant boots are recommended.

ADDITONAL MEASURES:..... Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Safety shower and eye wash should be available close to work areas.

9 – PHYSICAL / CHEMICAL PROPERITES

BOILING POINT:..... 250°F (121°C) **FREEZING POINT:.....** - 2°F (-19°C)

FLASHPOINT:Non-flammable material

UPPER FLAME LIMIT (%):.....NA
LOWER FLAME LIMIT (%):.....NA

VAPOR PRESSURE:13 mmHg @ 20 °C (68 °F)

VAPOR DENSITY (AIR=1):....5.8 @ 20 - 25 °C (68 - 77 °F)

SPECIFIC GRAVITY:1.62 @ 25 °C (77 °F)

pH:NA

SOLUBILITY IN WATER:....Not soluble

VOLATILITY

INCLUDING WATER:12.20 pounds per gallon

MOLECULAR WEIGHT:....131.36

EVAPORATION RATE: No data available

PHYSICAL STATE:....Liquid COLOR:.....Clear

ODOR:Sharp Solvent

10 - STABILITY and REACTIVITY

STABILITY:Stable

HAZARDOUS DECOMP .:Will not occur

INCOMPATIBILITY:Oxidizers or Oxidizing Materials.

HAZARDOUS REACTIONS:........ Not expected to be Explosive, Self-Reactive, Self-Heating, or an

Organic Peroxide under US GHS Definition(s).



11 - TOXICOLOGICAL INFORMATION

THRESHOLD LIMIT VALUE:.....10 ppm **OSHA PEL:....**10 ppm LISTED CARCINOGEN:.....IARC: 2A - Group 2A: Probably carcinogenic to humans (Tetrachlorethylene (Perchloroethylene), CAS# 127-18-4), NTP: Reasonably anticipated to be a human carcinogen (Tetrachlorethylene (Perchloroethylene), CAS# 127-18-4). **MEDICAL CONDITION** AGGRAVATED:.....Current available data does not indicate that there are medical conditions that are generally recognized as being aggrevated by exposure to this substance/product. Pre-existing medical conditions of the following organ(s) or organ system(s) may be aggravated by exposure to this material: Respiratory system. Eyes. Skin. **INFORMATION ON ACUTE TOXICOLOGICAL EFFECTS ORAL** immedately. **DERMAL** irritation. Skin contact may aggravate existing dermatitis.

INHALATION

Product:Inhalation may cause severe irritation, coughing. Prolonged or repeated overexposure by inhalation may cause headache, nausea, drowsiness.

REPEATED DOSE TOXICITY

Product:Perchloroethylene, Target Organs: Liver, Kidney, Central nervous system, Respiratory system Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

SKIN CORROSION / IRRITATION

Product:Repeated and prolonged exposure to concentrated material may cause dermatitis and possible allergic skin reaction.

SERIOUS EYE DAMAGE / IRRITATION

Product:Eye contact with product may cause mild to severe irritation, possible chemical burns, or eye damage.

RESPIRATORY OR SKIN SENSITIZATION

Product: May cause an allergic skin reaction.



MUTAGENCITY

IN VITRO				
Product:No Data A	vailable			
IN VIVO				
Product:No Data A	vailable			
Specified Substance(s)	Information as provided by manufacturer			
Perchloroethylene (Tetrachlorethylene)	Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.			
CARCINOGENICITY				
Product:This produ	uct is or contains a component that has been reported			
to be probably carcinogenic based on its I	ARC, OSHA, ACGIH, NTP, or EPA classification.			
Probable human carcinogen.				
REPODUCTIVE TOXICITY				
Product:Trichloroe	ethylene is carcinogenic to humans by all routes of			
exposure and poses a potential human health hazard for noncancer toxicity to the central				
nervous system, kidney, liver, immune system, male reproductive system, and the developing				
embryo/fetus.				
SPECIFIC TARGET ORGAN TOXICITY - SING	GLE EXPOSURE			
Product:INHALAT	ION: High concentrations of vapor may cause			
irritation of the respiratory tract, experienced as nasal discomfort and discharge, with chest				
	miting, dizziness, and drowsiness may occur. EYES:			
· · · · · · · · · · · · · · · · · · ·	scomfort or pain, excess blinking and tear production,			
_	of the conjunctiva. SKIN: Brief contact may cause			
	ess. Prolonged contact may cause more severe			
irritation, with discomfort or pain. SWALLOWING: Poison, toxic. May cause headache,				
dizziness, incorrdination, nausea, vomiting, diarrhea, and general weakness. MAY BE FATAL IF				
SWALLOWED.				
SPECIFIC TARGET ORGAN TOXICITY – REP				
	s of long-term, low-level exposures to this product			
have not been determined. Safe handling of this material on a long-term basis should				
emphasize the avoidance of all effects from repetitive acute exposure. This product may				
aggravate existing eye, skin, and respirato	ry conditions.			
ASPIRATION HAZARD				
	of the product aspirated into the lungs through			
ingestion or vomiting may cause chemical	pneumonia.			
OTHER ADVERSE EFFECTS				
Product: Overexposures have been known to produce liver damage in				
animal studies. Fetotoxicity and embryotoxicity in the presence of maternal toxicity has been				
shown to occur in rabbits at a high doses.				



12 - ECOLOGICAL INFORMATION

ACUTE TOXICITY

FISH Product:LC50 (Limanda limanda (Marlin)): 5 mg/l. Exposure time: 96 h. Test Type: flow-through test. **AQUATIC INVERTEBRATES** Product:EC50 (Daphnia magna (Water flea)): 8.5 mg/l. Exposure time: 48 h. Test Type: static test. **CHRONIC TOXICITY FISH Product:**Toxic to aquatic life with long lasting effects. **AQUATIC INVERTEBRATES Product:**Toxic to aquatic life. **TOXICITY TO AQUATIC PLANTS** Product:EC50 (Chlamydomonas reinhardtii): 3.64 mg/l. End point: Growth rate. Exposure time: 72 h. Test Type: Closed system. PERSISTENCE AND DEGRADABILITY **BIODEGRADATION** Product:No data available **BIOLOGICAL OXYGEN DEMAND** Product:No data available CHEMICAL OXYGEN DEMAND Product:No data available **BOD / COD RATIO** Product:No data available **BIOACCUMULATIVE POTENTIAL** Product:Because Perchloroethylene (Tetrachlorethylene)evaporates easily, if it is released to the environment during production and use, most of it eventually reaches the air. Perchloroethylene (Tetrachlorethylene) that reaches groundwater may be difficult to remediate. Perchloroethylene (Tetrachlorethylene) is toxic to aquatic life. **MOBILITY IN SOIL Product:**NOT expected to partition to water. **RESULTS OF PBT AND mPvB ASSESSMENT Product:**No data available.



OTHER ADVERSE EFFECTS

Product:An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:.....Treatment, storage, transportation and disposal must be in

accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local

requirements.

RCRA STATUS:.....lf discarded in its purchased form, this product is considered a

RCRA hazardous waste. It is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous

waste. (40CFR261.20-24).

14 - TRANSPORTATION INFORMATION

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.



UN/NA NUMBER:.....1897

PROPER SHIPPING NAME:...... TETRACHLOROETHYLENE, 6.1, III

HAZARD CLASS:.....6.1
PACKAGING GROUP:......

LETTER:....T (Toxic)



ENVIRONMENTAL HAZARD:For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters. The potential mobility of Perchloroethylene (Tetrachlorethylene) in the soil is high. Very little Perchloroethylene (Tetrachlorethylene) breaks down in soil, and it can pass through the soil into underground water.

REPORTABLE QUANTITY:......Perchloroethylene (Tetrachlorethylene) CAS# 127-18-4: 100 Lbs. (45.36 Kilograms).

15 - REGULATIONS

This Safety Data Sheet conforms to ANSI Z400.5, and to the format requirements and the International Chemical Safety Cards of the Global Harmonizing System. This SDS complies with 29 CFR 1910.1200 (HAZARD COMMUNICATION STANDARD). IMPORTANT: Read this SDS before handling & disposing of this product. Pass this information on to employees, customers, & users of this product.

EPA SRA Title III Chemical Listings:

TSCA STATUS:	.This product is listed on the TSCA inventory. If this product is a
	blend, all ingredients in the product are listed on the TSCA
	Inventory List. Any impurities present in this product are
	exempt from listing.
SECTION 302:	.No chemicals in this material are subject to the reporting
	requirements of SARA Title III, Section 302.
SECTION 304:	.None
SECTION 312:	.SARA 311/312 Hazards: Acute toxicity (any route of exposure),
	Skin corrosion or irritation, Serious eye damage or eye
	irritation. Carcinogenicity: Specific target organ toxicity (single
	or repeated exposure).
SARA SECTION 313:	.Tetrachloroethylene: CAS # 79-01-6; 100 Lbs. (45.36 Kilograms).
	Threshold Planning Quantity (TPQ)
ACUTE:	.Yes (Eyes)
CHRONIC:	.Yes
FIRE:	.No
PRESSURE:	.No
REACTIVE:	.No
CLEAN WATER ACT:	.Yes

IMDG – International Marine Dangerous Goods Code

UN1897, TETRACHLOROETHYLENE, 6.1, PGIII. EMS-No: F-A, S-A, Marine pollutant: Yes.

IATA

UN1897, TETRACHLOROETHYLENE, 6.1, PGIII.



DEA Chemical Trafficking Act: ..No

Homeland Security Regulated .. This product does not contain any reportable DHS chemicals.

California Proposition 65.........Contains ingredients Known/Likely, to be Carcinogenic to humans by the state of California

Component........Perchloroethylene (Tetrachlorethylene), CAS# 127-18-4

Cal Prop 65 NSRL......No Significant Risk Level

US State Right to Know (RTK)

Component.....Perchloroethylene (Tetrachlorethylene), CAS# 127-18-4

Massachusetts.....Yes **

New Jersey......Yes **

Pennsylvania.....Yes **

Illinois......Yes **

Rhode Island......Yes **

**RTK Chemical(s)Perchloroethylene (Tetrachlorethylene) CAS# 127-18-4

Canada NPRITetrachlorethylene (Perchloroethylene), CAS# 127-18-4

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act): All ingredients in this product are listed on the DSL. Any impurities present in this product are exempt from listing.

AICS / NICNAS (Australian Inventory of Chemical Substances and National Industrial Chemicals Notification and Assessment Scheme): All ingredients in this product are listed on AICS or otherwise complies with NICNAS.

MITI (Japanese Handbook of Existing and New Chemical Substances): All ingredients in this product are listed in the Handbook or has been approved in Japan by new substance notification.

ECL (Korean Toxic Substances Control Act): All ingredients in this product are listed on the Korean inventory or otherwise complies with the Korean Toxic Substances Control Act.KE-04134 Philippines Inventory (PICCS): All ingredients in this product are listed on the Philippine Inventory or otherwise complies with PICCS.

Inventory of Existing Chemical Substances in China: All ingredients in this product are listed on the Inventory of Existing Chemical Substances in China (IECSC).



16 - OTHER INFORMATION

\mathbf{H}	M	П	S

HEALTH	2
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	Н

*HMIS®HAZARD INDEX: 0=Minimal Hazard, 1=Slight Hazard, 2=Moderate Hazard, 3=Serious Hazard, 4=Severe Hazard. HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this SDS and product label must be considered.

ND = No Data, NA = Not Applicable/Not Available, \leq = Less than or equal to, \geq = Greater than or equal to

REVISION STATEMENT: Changes have been made throughout this Safety Data Sheet (SDS). Please read the entire document. Prepared according to the OSHA Hazard Communication Standard (29 CFR 1910.1200) and The Globally Harmonized System of Classification and Labeling of Chemicals (GHS) by the Company Health and Risk Assessment Unit.

DISCLAIMER:

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, the Company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving this Safety Data Sheet (SDS) will make their own determination as to its suitability for their intended purposes prior to use. Since the product is within the exclusive control of the user, it is the user's obligation to determine the conditions of safe use of this product. Such conditions should comply with all Federal and State Regulations concerning the Product. It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

This is the last page of this SDS