

1 – PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:	. SODIUM METASILICATE PENTAHYDRATE
CHEMICAL NAME/	
CLASS/SYNONYMS:	. None
PRODUCT NUMBER:	. SODIUM METASILICATE PENTAHYDRATE
UN/NA NUMBER:	. 3253
CHEMICAL FAMILY:	. Disodium salt
CAS NUMBER:	. 6834-92-0
FORMULA:	. Na ₂ SiO ₃ 5H ₂ O
COMPANY:	. JMN Specialties, Inc.
COMPANY:	. JMN Specialties, Inc. 1100 Victory Drive – Westwego, Louisiana USA 70094
COMPANY:	• · · ·
COMPANY:	1100 Victory Drive – Westwego, Louisiana USA 70094
	1100 Victory Drive – Westwego, Louisiana USA 70094 Phone (504) 341-3749, Fax (504) 341-5868
	1100 Victory Drive – Westwego, Louisiana USA 70094 Phone (504) 341-3749, Fax (504) 341-5868 www.jmnspecialties.com
	 1100 Victory Drive – Westwego, Louisiana USA 70094 Phone (504) 341-3749, Fax (504) 341-5868 www.jmnspecialties.com CALL CHEMTEL: Toll Free US & Canada: (800) 255-3924, Outside USA +01-813-248-0585.

2 – HAZARDS IDENTIFICATION

GHS HAZARD CLASSIFICATION:

WARNING LABEL ITEMS INCLUDING PRECAUTIONARY STATEMENTS:



SIGNAL WORD:..... DANGER!

Pictograms:

GHS HAZARD AND PRECAUTIONARY STATEMENTS:

H303 H313 H333: May be harmful if swallowed, in contact with skin or if inhaled

P101+102+103: If medical advice is needed, have product container or label at hand. Keep out of the reach of children. Read label before use.

P202+270+280+281: Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required.



P501: Dispose of contents/container: Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

TOTAL VOC's: None

3 – COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT

Sodium Metasilicate Pentahydrate

PERCENT* 100

CAS NUMBER 6834-92-0

*Any concentration shown as a range is to protect confidentiality or is due to batch variation.

4 – FIRST-AID MEASURES

BREATHING (INHALATION):	Remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial resuscitation. Keep person warm and at rest. Treat symptomatically and supportively. Seek medical attention immediately. Qualified medical personnel should consider administering oxygen.
SWALLOWING (INGESTION)	Give large amounts of fresh water or milk immediately. Do not give anything by mouth if person is unconscious or otherwise unable to swallow. If vomiting occurs, keep head below hips to prevent aspiration. Treat symptomatically and supportively. Seek medical attention immediately.
EYES:	• Flush eye with copious quantities of water. If persistent irritation occurs, obtain medical attention.
SKIN (DERMAL):	Remove contaminated clothing and wash affected skin with soap and water. If persistent irritation occurs, obtain medical attention. When using high pressure equipment, injection of product under the skin can occur. If high pressure injuries occur, the casualty should be sent immediately to a hospital. Do not wait for symptoms to develop.
NOTE TO PHYSICIAN:	• May cause caustic burns to the mouth, throat or stomach if swallowed. After swallowing danger of stomach perforation. On inhalation: Irritation of mucous membrane, coughing and shortness of breath. All treatments should be based on observed signs and symptoms of distress in the patient. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.



5 – FIRE-FIGHTING MEASURES

GENERAL FIRE HAZARDS:	• Fire fighters should wear full protective clothing, including self- contained breathing equipment.
AUTOIGNITION TEMP:	0 1 1
EXTINGUISHING MEDIA:	Determined by surrounding material. In case of fire, use water fog, dry chemical, CO_2 , or "alcohol" foam. Firefighting should be attempted only by those who are adequately trained and equipped with proper protective equipment.
SPECIAL FIRE FIGHTING	
PROCEDURES:	• No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. Spilled product may be slippery.
UNUSUAL FIRE AND	
EXPLOSION HAZARDS:	• Containers may explode from internal pressure if confined to fire. Cool with water spray.

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:	• Wear appropriate personal protective equipment before approaching spill site. For small spills, dilute with water to sewer if allowed by local and state regulations. If unable to wash product with water, absorb with inert material (sand or other approved material) and dispose of in accordance with applicable regulations.
WASTE DISPOSAL:	• Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.
RCRA STATUS:	 Sodium Metasilicate, if discarded or spilled, as well as other wastes generated during use of Sodium Metasilicate or containing Sodium Metasilicate may exhibit one or more hazardous waste characteristics under 40 CFR 261.24: D002 – Corrosive.

7 – HANDLING and STORAGE

STORAGE:Keep in a tightly closed container, stored in a cool, dry, ventilated area
below 44°C (110°F). Protect against physical damage. Isolate from
incompatible substances. Containers of this material may be hazardous
when empty since they retain product residues (vapors, liquid); observe
all warnings and precautions listed for the product. Drum must not be
washed out or used for other purposes.



8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

HAZARDOUS INGREDIENT

Sodium Metasilicate Pentahydrate

EXPOSURE CONTROLS:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

PEL

 2 mg/m^3

RESPIRATORY PROTECTION: If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.
 PROTECTIVE CLOTHING: Eye/face protection: Wear chemical goggles; face shield (if splashing

is possible). **Skin protection:** Chemical resistant, impermeable gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron or chemical suit and chemical resistant boots are recommended.

ADDITIONAL MEASURES: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Safety shower and eye wash should be available close to work areas.

TLV-TWA 2 mg/m³



9 – PHYSICAL / CHEMICAL PROPERITES

BOILING POINT:	Not Applicable
FREEZING POINT:	NA
FLASHPOINT:	Non-flammable material
UPPER FLAME LIMIT (%):	NA
LOWER FLAME LIMIT (%):	NA
VAPOR PRESSURE:	ND
VAPOR DENSITY (AIR=1):	ND
SPECIFIC GRAVITY:	Approximately 68 lbs/ft3 untamped, 77 lbs/ft3 tamped.
рН:	1% solution 12.4
SOLUBILITY IN WATER:	. 28% @ 20 °C
VOLATILITY	
INCLUDING WATER:	None
MOLECULAR WEIGHT:	NA
EVAPORATION RATE:	NA
PHYSICAL STATE:	Granular solid
COLOR:	White
ODOR:	Bland

10 – STABILITY and REACTIVITY

STABILITY:	••••••	Stable

HAZARDOUS DECOMP .:.... Will not occur

INCOMPATIBILITY:	Avoid direct contact with water and strong acids. Add slowly to water
	or acids with dilution and agitation to avoid exothermic reaction.
	Avoid contact with aluminum, tin, zinc, leather, and organic halogen or
	nitro compounds. Sodium metasilicate in contact with acids and
	organic halogen compounds may cause violent reactions. Contact with
	metals such as aluminum, magnesium, tin, and zinc may cause
	formation of flammable hydrogen gas. Precautions should be taken
	including monitoring the tank atmosphere for hazardous gases to ensure
	safety of personnel before vessel entry.
HAZARDOUS REACTIONS:	Not expected to be Explosive, Self-Reactive, Self-Heating, or an Organic Peroxide under US GHS Definition(s).

11 – TOXICOLOGICAL INFORMATION

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. **ACGIH**: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. **NTP**: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. **OSHA**: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen by OSHA.

THRESHOLD LIMIT VALUE:.. 2 mg/m³ **OSHA PEL:.....** 2 mg/m³



LISTED CARCINOGEN:	This product IS NOT listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest editions) or found to be a potential carcinogen by OSHA.
MEDICAL CONDITION AGGRAVATED:	• Pre-existing medical conditions of the following organ(s) or organ system(s) may be aggravated by exposure to this material: Respiratory system. Eyes. Skin.

INFORMATION ON ACUTE TOXICOLOGICAL EFFECTS

ORAL

Product: Ingestion may cause a burning sensation in the mouth, irriation of the lips, mouth, tongue and pharynx, and esophageal and abdominal pain, vomiting of blood and large pieces of mucosa, and bloody diarrhea. Asphyxia can occur from swelling of the throat. Mediastinitis, alkalemia, pallor, weak, slow pulse, cardiovascular collapse, shock, coma and death may occur.

DERMAL

INHALATION

REPEATED DOSE TOXICITY

Product: No Data Available

SKIN CORROSION / IRRITATION

SERIOUS EYE DAMAGE / IRRITATION

RESPIRATORY OR SKIN SENSITIZATION

MUTAGENCITY

IN VITRO

Product:	No Data Available
IN VIVO	
Product:	No Data Available
Specified Substance(s)	Information as provided by manufacturer
Sodium Metasilicate	No Data Available

CARCINOGENICITY



REPODUCTIVE TOXICITY

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

Product: GENERAL: This product contains highly alkaline ingredients. **INHALATION:** Exposure to vapor, mist or liquid can cause mild to severe irritation to the respiratory tract, including chemical burns. Severe exposures could result in chemical pneumonia. **EYES:** Contact can cause severe damage including burns and blindness. The severity of the effects depend on concentration and how soon after exposure the eyes are washed. **SKIN:** Brief contact may cause slight to mild irritation with itching and local redness. Prolonged contact may cause more severe irritation, with discomfort or pain, local redness and swelling and possible tissue damage. **INGESTION:** Severe irritant. May cause severe burns of the mucous membranes of the mouth, esophagus, and stomach.

SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE

ASPIRATION HAZARD

OTHER ADVERSE EFFECTS

Product: No data available

12 – ECOLOGICAL INFORMATION

ACUTE TOXICITY

FISH

CHRONIC TOXICITY

FISH

Product: Freshwater algae are destroyed above pH 8.5.

PERSISTENCE AND DEGRADABILITY

BIODEGRADATION

BIOLOGICAL OXYGEN DEMAND

Product: No data available

CHEMICAL OXYGEN DEMAND

Product:..... No data available

BOD / COD RATIO

Product: No data available



BIOACCUMULATIVE POTENTIAL

MOBILITY IN SOIL

Product: Expected to partition to water. The pH effect of sodium metasilicate in water is naturally reduced by the absorption of atmospheric carbon dioxide. This reduction is also effected by dilution with water and by the natural acidity of a given water body. There is no degradation of sodium metasilicate in waters, only loss by absorption or through chemical neutralization.

RESULTS OF PBT AND mPvB ASSESSMENT

OTHER ADVERSE EFFECTS

Product: This material is believed to persist in the environment.

13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:	Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.
RCRA STATUS:	• Sodium Metasilicate, if discarded or spilled, as well as other wastes generated during use of Sodium Metasilicate or containing Sodium Metasilicate may exhibit one or more hazardous waste characteristics under 40 CFR 261.24: D002 – Corrosive.

14 – TRANSPORTATION INFORMATION

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.



UN/NA NUMBER:	3253
PROPER SHIPPING NAME:	Disodium trioxosilicate
HAZARD CLASS:	8
PACKAGING GROUP :	III
LETTER:	C (Corrosive substances)
ENVIRONMENTAL HAZARD:	Sodium Metasilicate is not expected to bioaccumulate due to its high
	solubility in water. It is considered slightly toxic to aquatic organisms
	unless there is a significant pH shift outside the range of $5 - 10$, which
	may be toxic to aquatic organisms.
REPORTABLE QUANTITY:	None



15 - REGULATIONS

This Safety Data Sheet conforms to ANSI Z400.5, and to the format requirements and the International Chemical Safety Cards of the Global Harmonizing System. This SDS complies with 29 CFR 1910.1200 (HAZARD COMMUNICATION STANDARD). **IMPORTANT:** Read this SDS before handling & disposing of this product. Pass this information on to employees, customers, & users of this product.

EPA SRA Title III Chemical Listings:

TSCA STATUS:	• This product is listed on the TSCA inventory. If this product is a blend, all ingredients in the product are listed on the TSCA Inventory List. Any impurities present in this product are exempt from listing.
SECTION 302:	. None
SECTION 304:	. None
SECTION 312:	. None
SARA SECTION 313:	. SECTION 313 REPORTABLE INGREDIENTS (40 CFR 372):
	This product does not contain any toxic chemicals subject to the reporting requirements of Section 313, Title III of the SARA (Superfund Amendments and Reauthorization Act) of 1986.
ACUTE:	. Yes
CHRONIC:	
FIRE:	
PRESSURE:	• No
REACTIVE:	. No
CLEAN WATER ACT:	. None

IMDG – International Marine Dangerous Goods Code UN3253, Disodium trioxosilicate, 8, PG III. EmS F-A, S-B. Marine Pollutant: No. IATA UN3253, Disodium trioxosilicate, 8, PG III

DEA Chemical Trafficking Act:.. No



16 – OTHER INFORMATION

HMIS*	
HEALTH	2
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTI	ON E

***HMIS®HAZARD INDEX: 0=Minimal Hazard, 1=Slight Hazard, 2=Moderate Hazard, 3=Serious Hazard, 4=Severe Hazard.** HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this SDS and product label must be considered.

ND = No Data, NA = Not Applicable/Not Available, \leq = Less than or equal to, \geq = Greater than or equal to

REVISION STATEMENT: Changes have been made throughout this Safety Data Sheet (SDS). Please read the entire document. Prepared according to the OSHA Hazard Communication Standard (29 CFR 1910.1200) and The Globally Harmonized System of Classification and Labeling of Chemicals (GHS) by the Company Health and Risk Assessment Unit.

DISCLAIMER:

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, the Company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving this Safety Data Sheet (SDS) will make their own determination as to its suitability for their intended purposes prior to use. Since the product is within the exclusive control of the user, it is the user's obligation to determine the conditions of safe use of this product. Such conditions should comply with all Federal and State Regulations concerning the Product. It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. NO REPRESENTATIONS WARRANTIES, OR **EITHER** EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH **INFORMATION REFERS.**

This is the last page of this SDS