

1 – PRODUCT AND COMPANY IDENTIFICATION

de
1

2 – HAZARDS IDENTIFICATION

GHS HAZARD CLASSIFICATION:

WARNING LABEL ITEMS INCLUDING PRECAUTIONARY STATEMENTS:



SIGNAL WORD:..... DANGER!

GHS HAZARD AND PRECAUTIONARY STATEMENTS:

H303 H313 H333: May be harmful if swallowed, in contact with skin or if inhaled

P101+102+103: If medical advice is needed, have product container or label at hand. Keep out of the reach of children. Read label before use.

P202+270+280+281: Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required.



P501: Dispose of contents/container: Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

TOTAL VOC's: None

3 - COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT

Sodium Percarbonate

PERCENT* 94 - 96

CAS NUMBER 10332-33-9

*Any concentration shown as a range is to protect confidentiality or is due to batch variation.

4 – FIRST-AID MEASURES

	Remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial resuscitation. Keep person warm and at rest. Treat symptomatically and supportively. Seek medical attention immediately. Qualified medical personnel should consider administering oxygen.
SWALLOWING (INGESTION)	Give large amounts of fresh water or milk immediately. Do not give anything by mouth if person is unconscious or otherwise unable to swallow. If vomiting occurs, keep head below hips to prevent aspiration. Treat symptomatically and supportively. Seek medical attention immediately.
EYES:	Flush eye with copious quantities of water. If persistent irritation occurs, obtain medical attention.
SKIN (DERMAL):	Remove contaminated clothing and wash affected skin with soap and water. If persistent irritation occurs, obtain medical attention. When using high pressure equipment, injection of product under the skin can occur. If high pressure injuries occur, the casualty should be sent immediately to a hospital. Do not wait for symptoms to develop.
NOTE TO PHYSICIAN:	• May cause burns to the mouth, throat or stomach if swallowed. After swallowing danger of stomach perforation. On inhalation: Irritation of mucous membrane, coughing and shortness of breath. All treatments should be based on observed signs and symptoms of distress in the patient. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.



5 – FIRE-FIGHTING MEASURES

GENERAL FIRE HAZARDS:	These substances will accelerate burning when involved in a fire. Some may decompose explosively when heated or involved in a fire. May ignite combustibles (wood paper, oil, clothing, etc.). Runoff may create fire or explosion hazard.Fire fighters should wear full protective clothing, including self-contained breathing equipment.
AUTOIGNITION TEMP:	NA
EXTINGUISHING MEDIA:	Determined by surrounding material. In case of fire, use water fog, dry chemical, CO ₂ , or "alcohol" foam. Firefighting should be attempted only by those who are adequately trained and equipped with proper protective equipment.
SPECIAL FIRE FIGHTING	
PROCEDURES:	No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. Spilled product may be slippery.
UNUSUAL FIRE AND	
	Containers may explode from internal pressure if confined to fire. Cool with water spray.

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:	• Wear appropriate personal protective equipment before approaching spill site. For small spills, dilute with water to sewer if allowed by local and state regulations. If unable to wash product with water, absorb with inert material (sand or other approved material) and dispose of in accordance with applicable regulations.
WASTE DISPOSAL:	Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management
RCRA STATUS:	 options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements. If discarded in its purchased form, it is not a RCRA hazardous waste. It is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous waste. (40CFR261.20-24).



7 – HANDLING and STORAGE

STORAGE:	Keep in a tightly closed container, stored in a cool, dry, ventilated area below 44°C (110°F). Protect against physical damage. Isolate from incompatible substances. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product. Drum must not be washed out or used for other purposes.
HANDLING:	Avoid contact with eyes, skin and clothing. Do not inhale vapors and fumes. Wash thoroughly after handling. Use only with adequate ventilation. Do not take internally. For industrial use only.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

HAZARDOUS INGREDIENT Sodium Percarbonate PEL None Established TLV-TWA None Established



EXPOSURE CONTROLS:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

RESPIRATORY PROTECTION: If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.

PROTECTIVE CLOTHING:Eye/face protection: Wear chemical goggles; face shield (if splashing
is possible). Skin protection: Chemical resistant, impermeable gloves.
Gloves should be tested to determine suitability for prolonged contact.
Use of impervious apron or chemical suit and chemical resistant boots
are recommended.



ADDITIONAL MEASURES:

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Safety shower and eye wash should be available close to work areas.

9 – PHYSICAL / CHEMICAL PROPERITES

BOILING POINT:	Not Applicable
FREEZING POINT:	NA
FLASHPOINT:	Flammable material
UPPER FLAME LIMIT (%):	NA
LOWER FLAME LIMIT (%):	NA
VAPOR PRESSURE:	ND
VAPOR DENSITY (AIR=1):	ND
SPECIFIC GRAVITY:	2.1 (Water = 1)
pH:	3% solution: Approx. 10.5
SOLUBILITY IN WATER:	
VOLATILITY	
INCLUDING WATER:	None
MOLECULAR WEIGHT:	. 157.01 g/mol
EVAPORATION RATE:	NA
PHYSICAL STATE:	. Granular solid
COLOR:	White
ODOR:	Bland

10 – STABILITY and REACTIVITY

STABILITY:	Stable
HAZARDOUS DECOMP.:	Will not occur
INCOMPATIBILITY:	Avoid direct contact with strong acids. Add slowly to water or acids
	with dilution and agitation to avoid exothermic reaction. Avoid
	extended contact with aluminum, tin, zinc, leather, and organic
	materials. Contact with metals such as aluminum, magnesium, tin, and
	zinc may cause formation of flammable hydrogen gas. Precautions
	should be taken including monitoring the tank atmosphere for
	hazardous gases to ensure safety of personnel before vessel entry.
HAZARDOUS REACTIONS:	Not expected to be Explosive, Self-Reactive, Self-Heating, or an
	Organic Peroxide under US GHS Definition(s).

11 – TOXICOLOGICAL INFORMATION

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. **ACGIH**: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. **NTP**: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. **OSHA**: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen by OSHA.



THRESHOLD LIMIT VALUE:	. No specific OES assigned, however for dusts of any kind, ensure LTEL (8-hour TWA ref. period) level does not exceed 10 mg.m3 for total inhalable dust or 4 mg.m3 for respirable dust (or) as recommended in current edition of EH40.
OSHA PEL:	None
LISTED CARCINOGEN:	This product IS NOT listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest editions) or found to be a potential carcinogen by OSHA.
MEDICAL CONDITION	
AGGRAVATED:	Pre-existing medical conditions of the following organ(s) or organ system(s) may be aggravated by exposure to this material: Respiratory system. Eyes. Skin.

INFORMATION ON ACUTE TOXICOLOGICAL EFFECTS

ORAL

Product:......Ingestion may cause a burning sensation in the mouth, irriation of the lips, mouth, tongue and pharynx, and esophageal and abdominal pain, vomiting, nose bleeds, and bloody diarrhea.

DERMAL

INHALATION

Product:.....Inhalation of dusts may cause irritation of the upper respiratory tract with sore throat, coughing and shortness of breath. May cause severe irritation of the respiratory tract with coughing, choking, pain and irritation of the mucous membranes.

REPEATED DOSE TOXICITY

Product: No Data Available

SKIN CORROSION / IRRITATION

SERIOUS EYE DAMAGE / IRRITATION

RESPIRATORY OR SKIN SENSITIZATION

MUTAGENCITY



CARCINOGENICITY

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

Product: GENERAL: Dusts or particles may be irritating to skin, eyes, or mucous membranes. **INHALATION:** Inhalation of dusts or particles may cause irritation of the respiratory tract, experienced as nasal discomfort and discharge, with chest pain and coughing. Headache, nausea, vomiting, dizziness, and drowsiness may occur. **EYES:** May cause slight to severe irritation experienced as discomfort or pain, excess tear production, with possible redness and swelling of the conjunctiva. **SKIN:** Brief contact may cause slight irritation with itching and local redness. Prolonged contact may cause more severe irritation, with discomfort or pain. **SWALLOWING:** May cause headache, dizziness, nausea, vomiting, diarrhea, and general weakness.

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE

ASPIRATION HAZARD

OTHER ADVERSE EFFECTS

Product:......Product is considered a Severe Marine Pollutant. Avoid discharge to bodies of water.

12 – ECOLOGICAL INFORMATION

ACUTE TOXICITY

FISH

AQUATIC INVERTEBRATES

Product: Product is ecotoxic. Long term adverse effects to aquatic invertebrates is possible if continuous exposure is maintained.

CHRONIC TOXICITY

FISH

Product: Freshwater algae are destroyed above pH 8.5.

PERSISTENCE AND DEGRADABILITY

BIODEGRADATION

BIOLOGICAL OXYGEN DEMAND

Product: No data available



CHEMICAL OXYGEN DEMAND

Product:..... No data available

BOD / COD RATIO

Product: No data available

BIOACCUMULATIVE POTENTIAL

Product:...... Product does not bioaccumulate due to its solubility in water. It is considered toxic to aquatic organisms.

MOBILITY IN SOIL

RESULTS OF PBT AND mPvB ASSESSMENT

OTHER ADVERSE EFFECTS

Product: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13 -DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:	Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in
RCRA STATUS:	accordance with federal, state and local requirements. If discarded in its purchased form, it is not a RCRA hazardous waste. It
	is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous waste. (40CFR261.20-24).



14 – TRANSPORTATION INFORMATION

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.



15 - REGULATIONS

This Safety Data Sheet conforms to ANSI Z400.5, and to the format requirements and the International Chemical Safety Cards of the Global Harmonizing System. This SDS complies with 29 CFR 1910.1200 (HAZARD COMMUNICATION STANDARD). **IMPORTANT:** Read this SDS before handling & disposing of this product. Pass this information on to employees, customers, & users of this product.

EPA SRA Title III Chemical Listings:

TSCA STATUS:	This product is listed on the TSCA inventory. If this product is a blend, all ingredients in the product are listed on the TSCA Inventory List. Any impurities present in this product are exempt from listing.
SECTION 302:	None
SECTION 304:	None
SECTION 312:	None
SARA SECTION 313:	None
ACUTE:	Yes
CHRONIC:	No
FIRE:	No
PRESSURE:	No
REACTIVE:	No
CLEAN WATER ACT:	None

IMDG – **International Marine Dangerous Goods Code** UN3378, Sodium carbonate peroxyhydrate, 5.1, PG III. EmS-No F-A, S-Q, Marine Pollutant.

IATA

UN3378, Sodium carbonate peroxyhydrate, 5.1, PG III.

DEA Chemical Trafficking Act: .. No



16 – OTHER INFORMATION

HMIS*

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTIO	DN B

***HMIS®HAZARD INDEX: 0=Minimal Hazard, 1=Slight Hazard, 2=Moderate Hazard, 3=Serious Hazard, 4=Severe Hazard.** HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this SDS and product label must be considered.

ND = No Data, NA = Not Applicable/Not Available, \leq = Less than or equal to, \geq = Greater than or equal to

REVISION STATEMENT: Changes have been made throughout this Safety Data Sheet (SDS). Please read the entire document. Prepared according to the OSHA Hazard Communication Standard (29 CFR 1910.1200) and The Globally Harmonized System of Classification and Labeling of Chemicals (GHS) by the Company Health and Risk Assessment Unit.

DISCLAIMER:

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, the Company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving this Safety Data Sheet (SDS) will make their own determination as to its suitability for their intended purposes prior to use. Since the product is within the exclusive control of the user, it is the user's obligation to determine the conditions of safe use of this product. Such conditions should comply with all Federal and State Regulations concerning the Product. It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. NO **EXPRESS** REPRESENTATIONS OR WARRANTIES, EITHER OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH **INFORMATION REFERS.**

This is the last page of this SDS